




# You and Roman



# You and Roman.







## Roman The company

## A solid brand in ceramic industry

Since the early 70's, the company committed to the ceramic tiles industry with the production of wall tiles in PT. Metropole Megah, East Java. In the 90's Roman proved its solidity by opening a second plant, PT. Satyaraya Keramindoindah, in Tangerang, Indonesia. As a testament of its increasing success, production of a third plant in East Java started in 2007: this plant is named PT. Roman Ceramic International and is equipped with the most advanced Italian technology, making it one of the most efficient ceramic factories in the whole Indonesia and Asia.

Roman's facilities have been producing floor and wall tiles for the international market for more than three decades. Today, Roman continues to grow steadily, emerging as a leading international player and exporting to more than 90 countries worldwide, with an annual production capacity of 24 million square meters, managing the entire manufacturing process from raw materials to finished products. On a quest for flawless quality, in line with Roman's business philosophy, the standards set by the ISO 9001 certification guarantee the company has what it takes to compete in the global market.

PT. Roman Ceramic International and PT. Satyaraya Keramindoindah both belong to Lyman Group's Building Material Division.







## Cutting edge technology and uncompromising quality

Roman has perfected techniques that make its ceramic tiles among the most durable and appealing in the market. Sophisticated, Italian-made equipment and innovative processes ensure excellent colour consistency and vibrant hues with low maintenance year after year. Strict controls at each stage of manufacturing guarantee that each tile leaving the factory complies with the highest international and ISO standards. Plus, even the biggest delivery commitment or the tightest deadline is easily met, thanks to the company's oneroof, fully computerized system.



## A professional approach to fulfil our commitments

Professionalism is key to Roman's reputation as a leading producer of ceramic tiles. With a truly multinational team, we work hard to maintain an efficient communication flow, making sure we make good on our commitments. A holistic approach to the development of human resources gives our personnel a chance to grow, refining their skills and deepening their expertise while gaining an understanding of the company's operations as a whole. Such an approach promotes teamwork, allowing us to fulfil, and even exceed, our customers' expectations.



## **Interlok** Hexagonal


Tersedia di : 😥 🖓 HOMEMART

# Uncompromising uniqueness.

Geometrical beauty and unmatched durability; **Interlok Hexagonal** is Roman's line of unique floor tiles to create fantasies of neatly defined shapes, giving your settings a dynamic feel.

#### 34x39 HEXAGONAL20CM

dCampanili	6
dModesto	8
dSantorini	11
dTravessa	7
dTribeca	10



White Sea

# dCampanili

Hexagonal <sub>Tiles</sub> 34x39 cm Matt

dCampanili Carrara / dCampanili Ornament



GH348O76 **dCampanili Carrara** 34X39cm - Gol. A DECORATIVE TILES:



GH348077 **dCampanili Ornament** 34X39cm - Gol. A

### Tersedia di : 😥 🖓 HOMEMART

#### dTravessa Cube

34x39 cm Matt Hexagonal Tiles

## dTravessa

**Cubic Feel** 



GH348065 **dTravessa Light** 34x39 - Gol. A



GH348066 **dTravessa Medium** 34x39 - Gol. A



GH348067 **dTravessa Dark** 34x39 - Gol. A

DECORATIVE TILES:



GH348070 **dTravessa Cube** 34x39 - Gol. A

7

dModesto Perla / dModesto Mix

Tea

Grey Shades

# dModesto

Hexagonal 34x39 cm Tiles Matt



## Tersedia di : 😥 🖓 HOMEMART





GH348O61 **dModesto Perla** 34X39cm - Gol. A



GH348062 **dModesto Grigio** 34X39cm - Gol. A



GH348063 **dModesto Charcoal** 34X39cm - Gol. A

#### DECORATIVE TILES:



GH348064 **dModesto Mix\*** 34X39cm - Gol. A

\*Wide Variety of design within 1 box . Consist of random design within plenty 1 box (up to15 random design)

#### Warm Wood

## dTribeca

Hexagonal Tiles 34x39 cm Matt






dTribeca Natural



GH348060 dTribeca Natural 34X39cm - Gol. A





GH348059 dSantorini Blue\* 34X39cm - Gol. A

\*Wide Variety of design within 1 box . Consist of random design with plenty random design within 1 box

Laying Pattern

#### Interlok Tiles



ALTERNATIVE 1 dModesto Grigio - dModesto Mix



ALTERNATIVE 5 dModesto Perla - dModesto Grigio dModesto Chsrcoal



ALTERNATIVE 2 dTribeca Natural





ALTERNATIVE 3 dTravessa Cube



dTravessa Cube - dTravessa Dark -dTravessa Medium - dTravessa Light



ALTERNATIVE 2 dModesto Chsrcoal - dModesto Mix



ALTERNATIVE 6 dModesto Perla - dModesto Grigio -dModesto Chsrcoal - dModesto Mix



ALTERNATIVE 3 dTribeca Natural



ALTERNATIVE 7 dTribeca Natural



ALTERNATIVE 4 dTravessa Cube





ALTERNATIVE 3 dModesto Perla - dModesto Grigio dModesto Mix



ALTERNATIVE 7 dModesto Perla - dModesto Grigio -dModesto Chsrcoal - dModesto Mix



ALTERNATIVE 4 dTribeca Natural



ALTERNATIVE dTravessa Cube



ALTERNATIVE 5





ALTERNATIVE 4 dModesto Perla - dModesto Grigio dModesto Mix



ALTERNATIVE 1 dTribeca Natural



ALTERNATIVE 5 dTribeca Natural



ALTERNATIVE 2 dTrav<u>essa Cube</u>



ALTERNATIVE 6 dTravessa Dark - dTravessa Medium dTravessa Light

# Packaging Information

FACTORY	SIZE (CM)	PCS/BOX	APPROX. SQM/BOX	approx. Weight/ Box (Kg)	BOXES/ PALLET	PALLETS/ CONTAINER	APPROX. WEIGHT/ PALLET (KG)	BOXES/ CONTAINER	APPROX. GROSS WEIGHT/ CONTAINER (TONNE)	APPROX. SQM/ CONTAINER
				IN <sup>.</sup>	TERLOK HEXAG	GONAL				
RCI	HEXAGONAL 20cm	10	-	17.2	52 26	20 7	919 472	1222	21.7	1210

#### NOTE :

Packing information may vary depending on specification of each motive and size.

• The colours illustrated in this brocure are produced near to actual colours.

# Technical Specification



TECHNICAL	TEST METHOD OR	FLOO	R TILE	WALL TILE		
CHARACTERISTIC	AS PER NORM	ISO 13006 REQUIREMENT	ROMAN	ISO 13006 REQUIREMENT		
Length and Width	ISO 10545 - 2	± 0.6 %	± 0.4 %	± 0.5 %	± 0.4 %	
Side Straightness	raightness ISO 10545 - 2 ± 0.5 %		± 0.3 %	± 0.3 %	± 0.3 %	
Rectangularity	ISO 10545 - 2	± 0.6 %	± 0.4 %	± 0.5 %	± 0.4 %	
Center Curvature & Edge Curvature	ISO 10545 - 2	± 0.5 %	- 0.15 % to + 0.25 %	- 0.3 % to + 0.5 %	- 0.15 % to + 0.25 %	
Warpage	ISO 10545 - 2	± 0.5 %	± 0.3 %	± 0.5 %	± 0.3 %	
Thickness	ISO 10545 - 2	± 5.0 %	± 4.0 %	± 10 %	± 3.0 %	
Water Absorption	ISO 10545 - 3	B1b ≤ 3.0 %	B1 < 3.0 %	B3 > 10 %	B3 Less than 18 %	
Modulus of Rupture	ISO 10545 - 4	B1b 30 Ind. Min. 27N/mm <sup>2</sup>	$\geq$ 35 N/mm <sup>2</sup>	≥ 15 N/mm²	$\geq$ 17 N/mm <sup>2</sup>	
Crazing Resistance	ISO 10545 -11	Required	Resistant	Required	Resistant	
Chemical Resistance	ISO 10545 - 13	Minimum Class GB	Minimum Class GB	Minimum Class GB	Minimum Class GB Minimum Class GB	
Stain Resistance	ISO 10545 - 14	Minimum Class 3	Minimum Class 4	Minimum Class 3	Minimum Class 5	
Abrasion Resistance	ISO 10545 - 7	Group I to V	Group III to V	Not Required	Not Required	

#### NOTE :

• The governing sizes and weights are subject to the usual variations expected of fired ceramic productions.

• Slight variations of shades/colours and surface finishes are inherent due to the nature of ceramic tile production process.

## Roman Collection Index 2022

## **Interlok** Hexagonal

## 34x39 Hexagonal20cm

6
8
11
7
10



#### JL.RAYA JANTI NO.96 YOGYAKARTA (0274) 493 22 88, 08112863773 (CHAT ONLY) If ghomemart @ ghomemart WWW.QHOMEMART.COM

www.roman.co.id

@ @roman.co.id |@houseofroman.official
Roman Ceramics

