



### You and Roman



Tersedia di : 😥 🕞 HOMEMART

# You and Roman.







### Roman The company

### A solid brand in ceramic industry

Since the early 70's, the company committed to the ceramic tiles industry with the production of wall tiles in PT. Metropole Megah, East Java. In the 90's Roman proved its solidity by opening a second plant, PT. Satyaraya Keramindoindah, in Tangerang, Indonesia. As a testament of its increasing success, production of a third plant in East Java started in 2007: this plant is named PT. Roman Ceramic International and is equipped with the most advanced Italian technology, making it one of the most efficient ceramic factories in the whole Indonesia and Asia.

Roman's facilities have been producing floor and wall tiles for the international market for more than three decades. Today, Roman continues to grow steadily, emerging as a leading international player and exporting to more than 90 countries worldwide, with an annual production capacity of 24 million square meters, managing the entire manufacturing process from raw materials to finished products. On a quest for flawless quality, in line with Roman's business philosophy, the standards set by the ISO 9001 certification guarantee the company has what it takes to compete in the global market.

PT. Roman Ceramic International and PT. Satyaraya Keramindoindah both belong to Lyman Group's Building Material Division.







### Cutting edge technology and uncompromising quality

Roman has perfected techniques that make its ceramic tiles among the most durable and appealing in the market. Sophisticated, Italian-made equipment and innovative processes ensure excellent colour consistency and vibrant hues with low maintenance year after year. Strict controls at each stage of manufacturing guarantee that each tile leaving the factory complies with the highest international and ISO standards. Plus, even the biggest delivery commitment or the tightest deadline is easily met, thanks to the company's oneroof, fully computerized system.



### A professional approach to fulfil our commitments

Professionalism is key to Roman's reputation as a leading producer of ceramic tiles. With a truly multinational team, we work hard to maintain an efficient communication flow, making sure we make good on our commitments. A holistic approach to the development of human resources gives our personnel a chance to grow, refining their skills and deepening their expertise while gaining an understanding of the company's operations as a whole. Such an approach promotes teamwork, allowing us to fulfil, and even exceed, our customers' expectations.

Tersedia di : 😥 🖓 HOMEMART

### Interlok Tiles

Tersedia di : 😥 🖓 HOMEMART

# Tiling will never be the same.

Interlok system allows the installation of ceramic tiles in a neat and easy way, combining each other different surfaces with a unique shape. It is possible to choose between a wide range of looks for walls, to **design scenographic compositions of great visual impact**.



#### 30x60

| dBangka     | 18 |
|-------------|----|
| dBelitung   | 17 |
| dBrick      | 8  |
| dCanyon     | 13 |
| dCaravista  | 6  |
| dCastillo   | 9  |
| dPyramid    | 7  |
| dQuarry     | 11 |
| dRavelin    | 10 |
| dRiverstone | 16 |
| dSemeru     | 15 |
| dTrento     | 12 |
| dTriassic   | 14 |
|             |    |

Tersedia di : 😥 🖓 HOMEMART

dCaravista Autumn


#### **Rustic Wall**

### dCaravista

Interlok 30x60 cm Tiles Structured




GL638049 **dCaravista Winter** 30x60 - Gol AS



GL638051 dCaravista Summer 30x60 - Gol AS



GL638050 **dCaravista Autumn** 30x60 - Gol AS





GL638057 **dPyramid Bone** 30x60 - Gol AS




GL638058 **dPyramid Beige** 30x60 - Gol AS



offee Shop

### 





Interlok Tiles

**30x60 cm** Structured



dBrick Terra



GL638038 **dBrick Terra** 30x60 cm - Gol A







Interlok Tiles 30x60 cm Structured





GL638022 dCastillo Crema 30x60 - Gol A



#### **Impressive Design**

dRavelin Mountain

# dRavelin

Interlok30x60 cmTilesStructured





GL638O68 **dRavelin Mountain** 30x60 - Gol AS



GL638070 dRavelin Tundra 30x60 - Gol AS



GL638069 **dRavelin Savanna** 30x60 - Gol AS





GL638001 dQuarry Beige 30x60 - Gol A



GL638066 **dQuarry Grey** 30x60 - Gol A



GL638002 **dQuarry Brown** 30x60 - Gol A

#### **Class Marble**

### dTrento

Interlok30x60 cmTilesStructured



dTrento Carrara



GL638062 **dTrento Carrara** 30x60 - Gol AS







GL638009 dCanyon Charcoal 30x60 - Gol A



#### **Fosil Stone**

### dTriassic

Interlok 30x Tiles Struc


30x60 cm Structured



dTriassic Fossil



GL638060 **dTriassic Fossil** 30x60 - Gol AS





GL638054 **dSemeru Natural** 30x60 - Gol AS



GL638055 **dSemeru Stone** 30x60 - Gol AS

#### **Unique Shapes**

### dRiverstone

Interlok Tiles Structured

30x60 cm

CONTRACT BRE

dRiverstone Sand



GL638044 dRiverstone Sand 30x60 - Gol AS



GL638045

dRiverstone Misto

GL638046 dRiverstone Bruno 30x60 - Gol AS

GL638047 dRiverstone Grigio 30x60 - Gol AS



#### dBelitung Brown

Interlok Tiles

30x60 cm Structured

## dBelitung

**Impresive Stone** 



GL638078 **dBelitung Cream** 30x60 - Gol AS



GL638079 **dBelitung Brown** 30x60 - Gol AS



GL638080 **dBelitung Grey** 30x60 - Gol AS



#### Split Stone

## d**Bangka**

Interlok 30x60 cm Tiles Structured



dBangka Fossil




GL638077 **dBangka Fossil** 30x60 - Gol AS




GL638076 **dBangka Grey** 30x60 - Gol AS

#### Interlok Tiles


# Laying Pattern




ALTERNATIVE 1 dCastillo - dPyramid - dBrick - dCaravista




ALTERNATIVE 2 dCastillo - dPyramid - dBrick - dCaravista




ALTERNATIVE 3 dCastillo - dPyramid - dBrick - dCaravista



ALTERNATIVE 2



ALTERNATIVE 1





ALTERNATIVE 2


ALTERNATIVE 3

dRiverstone - dBangka - dBelitung



dRiverstone - dBangka - dBelitung

ALTERNATIVE 3





**ALTERNATIVE 4** dRiverstone - dBangka - dBelitung

19

### Packaging Information

| FACTORY  | SIZE (CM) | PCS/BOX | APPROX.<br>SQM/BOX | approx.<br>Weight/<br>Box (Kg) | BOXES/<br>PALLET | PALLETS/<br>CONTAINER | APPROX.<br>WEIGHT/<br>PALLET<br>(KG) | BOXES/<br>CONTAINER | APPROX.<br>GROSS<br>WEIGHT/<br>CONTAINER<br>(TONNE) | APPROX.<br>SQM/<br>CONTAINER |
|----------|-----------|---------|--------------------|--------------------------------|------------------|-----------------------|--------------------------------------|---------------------|---|------------------------------|
| INTERLOK |           |         |                    |                                |                  |                       |                                      |                     |   |                              |
| RCI      | 30x60     | 6       | -                  | 21.5                           | 40<br>20         | 24<br>1               | 885<br>455                           | 980                 | 21.7  | 990                          |

#### NOTE :

- Packing information may vary depending on specification of each motive and size.
- The colours illustrated in this brocure are produced near to actual colours.

### Technical Specification



| TECHNICAL  | TEST METHOD OR             | FLOO                                 | R TILE               | WALL TILE                |                      |  |
|--|----------------------------|--------------------------------------|----------------------|--------------------------|----------------------|--|
| CHARACTERISTIC                                     | AS PER NORM                | ISO 13006<br>REQUIREMENT             | ROMAN                | ISO 13006<br>REQUIREMENT | ROMAN                |  |
| Length and Width                                   | ISO 10545 - 2              | ± 0.6 %                              | ± 0.4 %              | ± 0.5 %                  | ± 0.4 %              |  |
| Side Straightness                                  | ISO 10545 - 2              | ± 0.5 %                              | ± 0.3 %              | ± 0.3 %                  | ± 0.3 %              |  |
| Rectangularity                                     | ISO 10545 - 2              | ± 0.6 %                              | ± 0.4 %              | ± 0.5 %                  | ± 0.4 %              |  |
| Center Curvature & Edge<br>Curvature ISO 10545 - 2 |                            | ± 0.5 %                              | - 0.15 % to + 0.25 % | - 0.3 % to + 0.5 %       | - 0.15 % to + 0.25 % |  |
| Warpage  | Narpage ISO 10545 - 2 ± 0. |                                      | ± 0.3 %              | ± 0.5 %                  | ± 0.3 %              |  |
| Thickness  | ISO 10545 - 2              | ± 5.0 %                              | ± 4.0 %              | ± 10 %                   | ± 3.0 %              |  |
| Water Absorption                                   | ISO 10545 - 3              | B1b ≤ 3.0 %                          | B1 < 3.0 %           | B3 > 10 %                | B3 Less than 18 %    |  |
| Modulus of Rupture                                 | ISO 10545 - 4              | B1b 30 Ind. Min. 27N/mm <sup>2</sup> | ≥ 35 N/mm²           | ≥ 15 N/mm²               | ≥ 17 N/mm²           |  |
| Crazing Resistance                                 | ISO 10545 -11              | Required                             | Resistant            | Required                 | Resistant            |  |
| Chemical Resistance                                | ISO 10545 - 13             | Minimum Class GB                     | Minimum Class GB     | Minimum Class GB         | Minimum Class GB     |  |
| Stain Resistance                                   | ISO 10545 - 14             | Minimum Class 3                      | Minimum Class 4      | Minimum Class 3          | Minimum Class 5      |  |
| Abrasion Resistance                                | ISO 10545 - 7              | Group I to V                         | Group III to V       | Not Required             | Not Required         |  |

#### NOTE :

• The governing sizes and weights are subject to the usual variations expected of fired ceramic productions.

• Slight variations of shades/colours and surface finishes are inherent due to the nature of ceramic tile production process.

# Roman Collection Index 2022

### Interlok Tiles

### 30x60

| dBangka     | 18 |
|-------------|----|
| dBelitung   | 17 |
| dBrick      | 8  |
| dCanyon     | 13 |
| dCaravista  | 6  |
| dCastillo   | 9  |
| dPyramid    | 7  |
| dQuarry     | 11 |
| dRavelin    | 10 |
| dRiverstone | 16 |
| dSemeru     | 15 |
| dTrento     | 12 |
| dTriassic   | 14 |
|             |    |



#### JL.RAYA JANTI NO.96 YOGYAKARTA (0274) 493 22 88, 08112863773 (CHAT ONLY) If ghomemart @ ghomemart WWW.QHOMEMART.COM

www.roman.co.id

@ @roman.co.id |@houseofroman.official
Roman Ceramics

