



IN SEARCH OF PERFECTION



Tersedia di:



QHOMEMART

JL.RAYA JANTI NO.96 YOGYAKARTA
(0274) 493 22 88 , 08112863773 (CHAT ONLY)

f qhomemart t qhomemart @ qhomemart v qhomemart

WWW.QHOMEMART.COM



DAFTAR ISI

CONTENT



Visi dan Misi <i>Vission and Mission</i>	02
Genteng M-Class <i>M-Class Roof Tiles</i>	03
Keunggulan M-Class <i>The Excellent of M-Class</i>	4 - 6
Seri Glossy M-Class <i>M-Class Glossy Series</i>	7 - 10
Seri Matte M-Class <i>M-Class Matte Series</i>	11 - 16
Aksesoris M-Class <i>M-Class Accessories</i>	17 - 18
Instalasi dan Spesifikasi M-Class <i>M-Class Installation and Specification</i>	19 - 22
Genteng Ratta <i>Ratta Roof Tiles</i>	23 - 24
Aksesoris Ratta <i>Ratta Accessories</i>	25 - 26
Instalasi dan Spesifikasi Ratta <i>Ratta Installation and Specification</i>	27 - 30
Foto Proyek M-Class dan Ratta <i>Project References</i>	31 - 36

VISI / VISION

Menjadi terdepan di industri genteng keramik berglazur di Indonesia.

To be leading manufacturer in Indonesia's glazed ceramic roof tiles industry.

MISI / MISSION

Memberikan rasa aman, nyaman dan nilai estetika bagi konsumen dengan mempertahankan kualitas dan pelayanan sempurna.

To provide our customer with sense of security, comfort, and aesthetic value by consistently improving on the perfection of quality and service.





KEUNGGULAN M-CLASS

THE EXCELLENT OF M-CLASS



Sistem Interlocking / Interlocking System

Anti Slip dan Mempermudah Pemasangan
Secure tiles from slipping and easy to install

Tanggul Air / Water resistance

Mencegah tampias dan rembesan air.

Prevent seepage of water through the ceiling.



Dilapisi Glazur / Glazed

Air tidak merembes, tahan lumut, dan warna terjaga.

The top surface coated with the finest glazed substance offering colour permanence and durability.



Sistem Pengepakan / Packing System

Mengurangi resiko retak dan pecah pada saat pengiriman.

Packaging system to reduce any kind of risk during a shipment.





Kebutuhan Pemakaian / m² (13.6 pcs) / Per Sqm (13.6 pcs)

Hanya membutuhkan 13.6 keping genteng untuk setiap pemakaian 1 meter². M-Class lebih ekonomis dibandingkan dengan produk genteng sejenis.

Only 13.6 pieces for 1 meter square (m²), M-Class is more economical than other brands.



Berat Perkeping (2.75 Kg) / Weight per tile (2.75 Kg)

Memiliki bobot paling ringan diantara produk genteng sejenis. Atap rumah tidak menahan beban berlebihan, serta memberikan rasa aman pada setiap rumah yang dilindunginya.

Having the lightest weight among other brands, M-Class roof tiles keep your house safe and sound without overburdened roof trusses.



Kekuatan Lentur (Maks 180 Kgf) / Bending Strength (Max 180 Kgf)

Mampu menahan tekanan hingga 180 Kgf.

Pressure resistance up to 180 Kgf.



Peresapan Air (Maks 8%) / Water Absorption (Max 8%)

Penyerapan air maks 8% mencegah terjadinya rembesan dari badan genteng.

Water absorption Max 8%, to prevents seepage and fungal accretion on roof tile.



Meredam Bising / Sound Proof

Dapat meredam polusi suara. Rumah menjadi lebih tenang tanpa bunyi dan suara-suara yang mengganggu aktifitas dan waktu istirahat di rumah.

Disturbing sounds (sound pollution) can be reduced with glazed ceramic roof tiles. Have yourself a good rest and comfy feeling in doing activities in your home without disturbing sounds.



Hemat Energi / Energy Saving

Menjaga rumah tetap dalam kondisi sejuk karena genteng tidak menyerap panas ke dalam rumah, sehingga menghemat penggunaan energi listrik untuk penyejuk / pendingin ruangan di dalam rumah.

Keep your home cool with our roof tiles that prevents heat from being absorbed, making your home more energy efficient.



Biaya Perawatan Rendah / Low Maintenance

Tidak memerlukan perawatan yang kompleks karena genteng M-Class memiliki kualitas warna genteng yang permanen dan tidak pudar meskipun terkena matahari dan cuaca ekstrim selama hingga lebih dari 30 tahun.

M-Class Roof Tiles are color permanent and free from discoloration, all while exposed to sunlight and weather change for more than 30 years. M-Class roof tiles require low maintenance.



Tahan Lama / Durable

Genteng M-Class dibuat dengan karakteristik yang kuat untuk penggunaan jangka panjang sehingga dapat bertahan dan melindungi atap rumah dalam waktu yang lebih lama.

M-Class roof tiles are designed with exceptional high material characteristic for long-term use to keep your house remain protected for a very long time.



GLOSSY SERIES



NATURAL



MAHOGANY



MAROON



GREEN



DARK BROWN



PURPLE BLUE

MODERN

**M - Class**®

MAHOGANY



MATTE SERIES



MATTE ORANGE



MATTE YELLOW



WALNUT



COPPER



MATTE DARK BROWN



MATTE BROWN



MATTE GREY



SILVER BLACK



MATTE BLACK



RATTA
PERFECTO ®



MIXED COLOUR



MATTE GREY



COPPER



MATTE BLACK

AKSESORIS

ACCESSORIES



M-1HA
Hiasan Akhir
Special Eave



M-1PA
Pemanas Air
Water Heater



M-2
Nok / Ridge



M-2PP
Penangkal Petir
Special Ridge



M-3
Lisplang Kiri
Left Gable



M-3 HA
Lisplang Kiri
Hiasan Akhir
Left Special Gable



M-4
Lisplang Kanan
Right Gable



M-4 HA
Lisplang Kanan
Hiasan Akhir
Right Special Gable



M-6
Ujung Jurai
Hip End



M-7A
Ujung Nok Kanan
Right Edge End



M-7B
Ujung Nok Kiri
Left Edge End



M-8A
Nok 3 Arah Kanan
3 Forked Ridge Right



M-8B
Nok 3 Arah Kiri
3 Forked Ridge Left



M-8C
Nok 3 Arah
3 Forked Ridge



M-9 & M-9A
Hiasan Ujung Jurai
Special Hip End



M-10A
Nok 2 Arah
2 Forked Ridge



M-10B
Nok 2 Arah Kanan
2 Forked Ridge Right



M-10C
Nok 2 Arah Kiri
2 Forked Ridge Left




M-11
Nok 4 Arah
4 Forked Ridge
Pyramid




M-12 & M-12A
Exhaust Tiles Bawah & Atas
Exhaust Tile
Bottom & Top

INSTALASI


INSTALLATION





SPESIFIKASI

SPECIFICATION



Spesifikasi / Specification	Tipe / Type	
	M.1	M.2
Panjang Genteng / Length	32.6 ± 0.2 cm	29.5 ± 0.5 cm
Lebar Genteng / Width	31.2 ± 0.2 cm	21.0 ± 0.5 cm
Panjang Efektif / Effective Length	27.0 ± 0.2 cm	26.7 ± 0.5 cm
Lebar Efektif / Effective Width	26.8 ± 0.2 cm	
Berat Keping / Weight per Tile	Max 2.95 kg	Max 3.1 kg
Kekuatan Lentur / Bending Strength	± 180 kgf	
Kebutuhan Pemakaian / Quality	13.6 kp/m²	3.8 kp/m²
Peresapan Air / Water Absorption	Max 7.5%	Max 7.5%
Jarak Reng / Batten Distance	27.0 cm	



RATTA
PERFECTO

RATTA SERIES



PERU



BLUISH GREY



BLACK SATIN



MATTE BLACK



MATTE DARK BROWN



MATTE ORANGE

**ABSOLUTE FLAT
DEEP GUTTER
MODERN**

AKSESORIS

ACCESSORIES



RP-2
Nok / Ridge



RP-2 PP
Nok Penangkal Petir
Special Ridge



RP-3
Lisplang Kiri
Left Gable



RP-4
Lisplang Kanan
Right Gable



RP-5
Genteng Setengah
Half Tile



RP-6
Ujung Jurai
Hip End



RP-7A
Ujung Nok Kanan
Right Ridge End



RP-7B
Ujung Nok Kiri
Left Ridge End



RP-8A
Nok 3 Arah Kanan
3 Forked Ridge Right



RP-8B
Nok 3 Arah Kiri
3 Forked Ridge Left



RP-10B
Nok 2 Arah Kanan
2 Forked Ridge Right



RP-10C
Nok 2 Arah Kiri
2 Forked Ridge Left






RP-11
Nok 4 Arah Jurai
4 Forked Ridge Pyramid




INSTALASI


INSTALLATION



INSTALASI INSTALLATION



SPESIFIKASI SPECIFICATION



Spesifikasi / Specification	Tipe / Type	
	RP.1	RP.2
Panjang Genteng / Length	34.2 ± 0.2 cm	30.8 ± 0.2 cm
Lebar Genteng / Width	31.8 ± 0.2 cm	23.4 ± 0.2 cm
Panjang Efektif / Effective Length	28.0 ± 0.2 cm	26.2 ± 0.2 cm
Lebar Efektif / Effective Width	26.8 ± 0.2 cm	
Berat Keping / Weight per Tile	Max 3.4 kg	Max 3.2 kg
Kekuatan Lentur / Bending Strength	+ 200 kgf	
Kebutuhan Pemakaian / Quality	13.1 kp/m ²	3.8 kp/m ²
Peresapan Air / Water Absorption	Max 7%	Max 7%
Jarak Reng / Batten Distance	28.0 cm	



NATURAL



MAHOGANY

PURPLE
BLUE

GREEN



**MATTE DARK
BROWN**



COPPER



MATTE GREY



MATTE ORANGE

COPPER



MATTE GREY



MATTE BLACK



MATTE BLACK



MATTE ORANGE



MATTE YELLOW



MATTE BLACK

RATTA
PERFECTO ®



Tersedia di:



QHOMEMART

JL.RAYA JANTI NO.96 YOGYAKARTA
(0274) 493 22 88 , 08112863773 (CHAT ONLY)

 qhomemart  qhomemart  qhomemart  qhomemart

WWW.QHOMEMART.COM