



PAVIA

GLAZED PORCELAIN TILE



Tersedia di:



QHOMEMART

JL. RAYA JANTI NO.96 YOGYAKARTA
(0274) 493 22 88 , 08112863773 (CHAT ONLY)

f qhomemart t qhomemart @ qhomemart y qhomemart
WWW.QHOMEMART.COM

60x60cm *Glossy*




PAVIA
GLAZED PORCELAIN TILE



INZIO BIANCO



JOVANCO BIANCO



CATANIA BIANCO



SIRACUSA GOLD



SALERNO CREAM



SALERNO GRIGIO



CASERTA CREMA



CASERTA GRIGIO



NAVARO BRUNO



NAVARO GRIGIO



POTENZA BIANCO



RAVENA BLU



LOMBARDI BRUNO



LETINA BRUNO



TRAVANI BRUNO



TRAVANI BLU



APULIA BRUNO



RAGUSA NERO



TERSEDIA DI :  **QHOMEMART**

JL.RAYA JANTI NO.96 YOGYAKARTA
(0274) 493 22 88 , 08112863773 (CHAT ONLY)

f qhomemart t qhomemart @ qhomemart v qhomemart

WWW.QHOMEMART.COM

60x60cm *Matte*



PAVIA
GLAZED PORCELAIN TILE



ACERA BRUNO



ACERA GRIGIO



REGIO CREMA



REGIO GRIGIO



TERAMO GRIGIO



TERAMO GRIGIO

60x60cm *Curving*



TERNI WOOD BROWN



MODENA GREY



TERNI WOOD BROWN

TERSEDIA DI :  **QHOMEMART**

JL.RAYA JANTI NO.96 YOGYAKARTA

(0274) 493 22 88 , 08112863773 (CHAT ONLY)

f qhomemart t qhomemart @ qhomemart v qhomemart

WWW.QHOMEMART.COM

DESCRIPTION	METHOD	STANDAR ISO/SNI 13006:2018	CONCORD VALUES CLASS Bib
		REQUIREMENT	RECTIFIED
Dimension (Length and width)	ISO 10545-2	$\pm 0,3 \%$	$\pm 0,2\%$
Thickness	ISO 10545-2	$\pm 5 \%$	$\pm 3 \%$
Straightness of side	ISO 10545-2	$\pm 0,3 \%$	$\pm 0,2 \%$
Rectangularity	ISO 10545-2	$\pm 0,3 \%$	$\pm 0,2 \%$
Center Curvature & Edge Curvature	ISO 10545-2	$\pm 0,4 \%$	$\pm 0,3 \%$
Warepage	ISO 10545-2	$\pm 0,4 \%$	$\pm 0,3 \%$
Water Absorption	ISO 10545-3	$0,5\% < Ev \leq 3 \%$	$0,5\% < Ev < 3 \%$
Breaking Strangth	ISO 10545-4	$\geq 1100 \text{ N}$	$\geq 1200 \text{ N}$
Modulus of Rupture	ISO 10545-4	30 N/mm^2	32 N/mm^2
Abrasion Resistance	ISO 10545-7	Report abrasion class and cycles passed	Class 3
Crazing Resistance	ISO 10545-11	Required	No Crazing
Frost Resistance	ISO 10545-12	Not Required	
Acid/Alkali Resistance	ISO 10545-13	Test Method Available	Class GLA
Household and swimming pool salt	ISO 10545-13	Min Class B	Class A
Resistance to Staining	ISO 10545-14	Minimum class 3	Class 4