



*Tersedia di:*



**QHOMEMART**

JL. RAYA JANTI NO.96 YOGYAKARTA  
(0274) 493 22 88 , 08112863773 (CHAT ONLY)

f qhomemart t qhomemart @ qhomemart y qhomemart

[WWW.QHOMEMART.COM](http://WWW.QHOMEMART.COM)

**Linea Teka Kitchen  
Appliances  
2023**

**LINEA**  
**TEKA**



## Why choose **Linea glass hobs ?**

Lifetime warranty for tempered glass

---

SNI certificate

---

Brass burners

---

Flame failure device

---

Tersedia di :





**GLI 30 2G**

40235063



Auto Ignition



Auto Lock

Tempered glass  
LifeTime Warranty

Turbo Ring



Easy Installation

2 Gas Burners  
1 Mini Triple Ring Burner (2.2 KW)  
1 Small Dual Ring Burner (1.6 KW)  
Tempered Glass 8 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Black Metal Knobs  
Cast Iron Pan Supports  
Product Dimension 310 x 520 mm  
Cutting Dimension 280 x 490 mm

**GLI 30 1G**

40235062



Auto Ignition



Auto Lock


Tempered glass  
LifeTime Warranty

Turbo Ring



Easy Installation

1 Gas Burners  
1 Turbo Rings (3.7 KW)  
Tempered Glass 8 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Black Metal Knobs  
Cast Iron Pan Supports  
Product Dimension 310 x 520 mm  
Cutting Dimension 265 x 385 mm

**GLI 86 3G**

40235061



Auto Ignition



Auto Lock


Tempered glass  
LifeTime Warranty

Turbo Ring



Easy Installation

3 Gas Burners 2 Triple Rings (@3.7 KW), 1 Aux (1.1 KW)  
Tempered Glass 8 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Black Metal Knobs  
Cast Iron Pan Supports  
Product Dimension 860 x 450 mm  
Cutting Dimension 690 x 380 mm

**GLI 73 2G**

40235060



Auto Ignition



Auto Lock

Tempered glass  
LifeTime Warranty

Turbo Ring



Easy Installation

2 Gas Burners 2 Turbo Rings (@3.95 KW)  
Tempered Glass 8 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Black Metal Knobs  
Cast Iron Pan Supports  
Product Dimension 730 x 450 mm  
Cutting Dimension 640 x 355 mm

**GLM 73 2G**

40235050



Auto Ignition



Auto Lock


Tempered glass  
LifeTime Warranty

Turbo Ring



Easy Installation

2 Gas Burners Triple Rings (@4.15 KW)  
Tempered Glass 6 mm  
Bakelite Knobs  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Cast Iron Pan Supports  
Product Dimension 730 x 420 mm  
Cutting Dimension 640 x 350 mm

**GLM 86 3G**

40235051



Auto Ignition



Auto Lock

Tempered glass  
LifeTime Warranty

Turbo Ring




Easy Installation

3 Gas Burners 2 Triple Rings (@4.0 KW), 1 Aux (1.2 KW)  
Tempered Glass 8 mm  
Black Metal Knobs  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Cast Iron Pan Supports  
Product Dimension 860 x 450 mm  
Cutting Dimension 690 x 380 mm

# Linea Glass Hob & Freestanding Cooker

## GLS 73 2G



40235040



Auto Ignition



Auto Lock



Tempered glass  
LifeTime Warranty




Turbo Ring



Easy Installation

2 Gas Triple Ring Burners (@4.15 KW)  
Tempered Glass 6 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Bakelit Knobs  
Cast Iron Pan Supports  
Product Dimension 730 x 420 mm  
Cutting Dimension 640 x 355 mm

## GLB 73 2G



40235070



Auto Ignition



Auto Lock



Tempered glass  
LifeTime Warranty



Turbo Ring



Easy Installation

2 Gas Triple Ring Burners (@4.15 KW)  
Tempered Glass 6 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Bakelit Knobs  
Cast Iron Pan Supports  
Product Dimension 730 x 420 mm  
Cutting Dimension 640 x 355 mm

## GDK 73 2G



40235010



Auto Ignition



Auto Lock



Tempered glass  
LifeTime Warranty



Turbo Ring



Easy Installation

2 Gas Burners  
2 Turbo Rings (@3.95 KW)  
Tempered Glass 6 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Gun Metal Knobs  
Cast Iron Pan Supports  
Product Dimension 730 x 420 mm  
Cutting Dimension 625 x 325 mm

## LFS 604 BLACK



40297411F

4 Gas Burners  
- 1 Rapid (2 KW)  
- 2 Semi rapid (1.5 KW)  
- 1 Small (1 KW)  
Gas (LPG). With Grill  
Oven Capacity 63 Liters  
Thermocouple Oven  
Auto Ignition Hob and Oven  
Pan Support Enameled  
Tempered Glass Cover  
Oven Lamp  
Product Dimension :  
580 x 580 x (865-890mm)



Auto Ignition



63L Oven  
Capacity



Auto Lock



Easy Installation

Tersedia di :  **QHOME MART**

**Disclaimer : We reserve the right to make changes to the models, spesification, colours, materials and dimensions in order to conform with technological development and as part of normal product development.**

## GLN 30 1G




Cast Iron Pan Supports  
1 Gas Burner Turbo Ring (@4.5 kW)  
Top Air Burner System  
Bakelite Two Color Knobs with Laser Cap  
Tempered Glass 6 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Product Dimension 310 x 520 x 150 mm  
Cutting Dimension 265 x 490 4-R20

## GLN 30 2G



Cast Iron Pan Supports  
2 Gas Burner Semi Rapid (@1.5 kW) Aux (@1.0 kW)  
Top Air Burner System  
Bakelite Two Color Knobs with Laser Cap  
Tempered Glass 6 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Product Dimension 310 x 520 x 150 mm  
Cutting Dimension 265 x 490 4-R20

## GLN 60 4G



Cast Iron Pan Supports  
4 Gas Burner 1 Turbo Ring (@4.5 kW)  
2 Semi Rapid (@1.5 kW) Aux (@1.0 kW)  
Top Air Burner System  
Bakelite Two Color Knobs with Laser Cap  
Tempered Glass 6 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Product Dimension 600 x 520 x 150 mm  
Cutting Dimension 555 x 475 4-R20

## GLN 60 3G




Cast Iron Pan Supports  
3 Gas Burner 1 Turbo Ring (@4.5 kW)  
Semi Rapid (@1.5 kW) Aux (@1.0 kW)  
Top Air Burner System  
Bakelite Two Color Knobs with Laser Cap  
Tempered Glass 6 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Product Dimension 600 x 520 x 150 mm  
Cutting Dimension 555 x 475 4-R20

## GLN 75 2G



Cast Iron Pan Supports  
2 Gas Burner 2 Turbo Ring (@4.5 kW)  
Top Air Burner System  
Bakelite Two Color Knobs with Laser Cap  
Tempered Glass 6 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Product Dimension 750 x 450 x 150 mm  
Cutting Dimension 650 x 350 4-R20

## GLN 86 3G



Cast Iron Pan Supports  
3 Gas Burner 2 Turbo Ring (@4.5 kW) 1 Aux (@1.5kW)  
Top Air Burner System  
Bakelite Two Color Knobs with Laser Cap  
Tempered Glass 8 mm  
Auto-Lock Safety Device  
Auto-Ignition, Powered by Battery 1.5 V  
Product Dimension 860 x 480 x 150 mm  
Cutting Dimension 700 x 400 4-R20

### LSH-601 S/S



40330001



Dual Filter



Powerful Motor

Super slim body  
Stainless color  
Push button control panel  
1 motor  
Max exhaust capacities 300 m3/h  
Alumunim and carbon filter  
1x40 Watt Lamp  
3 Level of Speeds  
Sound Level 40dB(A)  
Power consumption Motor 1 x 80 Watt  
Dimensions 600x500x80mm

### LSH-601 BLACK



40330002



Dual Filter



Powerful Motor

Super slim body  
Black color  
Push button control panel  
1 motor  
Max exhaust capacities 300 m3/h  
Alumunim and carbon filter  
1x40 Watt Lamp  
3 Level of Speeds  
Sound Level 40dB(A)  
Power consumption Motor 1 x 80 Watt  
Dimensions 600x500x80mm

### LSH-902 S/S



40330003



Dual Filter



Powerful Motor

Super slim body  
Stainless color  
Push button control panel  
2 motors  
Max exhaust capacities 630 m3/h  
Alumunim and carbon filter  
1x40 Watt Lamp  
3 Level of Speeds  
Sound Level 50dB(A)  
Power consumption Motor 2 x 80 Watt  
Dimensions 900x500x80mm

### LSH-902 BLACK



40330004



Dual Filter



Powerful Motor

Super slim body  
Black color  
Push button control panel  
2 motors  
Max exhaust capacities 630 m3/h  
Alumunim and carbon filter  
1x40 Watt Lamp  
3 Level of Speeds  
Sound Level 50dB(A)  
Power consumption Motor 2 x 80 Watt  
Dimensions 900x500x80mm

### TL 601 S/S



40330005



Dual Filter



Powerful Motor

Body 60cm, S.S. Body  
2 level of Speeds  
Maximum Airflow 500m3/h  
Motor Type turbo motor 65 W  
Push button Control Type  
Filter Type 2 pcs alumunium filter  
Illumination 2x40w normal lamp  
Venting size 150mm  
Product Size 600mm  
Packing Size 640 x 260 x 355



## LDA 90



40489820



Dual Filter



Powerful Motor



LED Lamp

Curved glass  
90 cm  
Turbo Motors  
Airflow 1000 m<sup>3</sup>/h  
3 Speed  
Charcoal Filter  
LED Lamps  
Power Consumption  
190 Watt

## LDH 90



40489810



Dual Filter




Powerful Motor



LED Lamp

Flat Line  
90 cm  
Turbo Motors  
Airflow 1000 m<sup>3</sup>/h  
3 Speed  
Charcoal Filter  
LED Lamps  
Power Consumption  
190 Watt

## VALENCIA 1B



Stainless Steel  
800 x 500 mm  
Depth 220 mm

40300001




Easy Clean



Food Safe

## VALENCIA 1B.1D



Stainless Steel  
860 x 435 mm  
Depth 160 mm

40300002




Easy Clean



Food Safe

## VALENCIA 2B



Stainless Steel  
800 x 500 mm  
Depth 170 mm

40300003




Easy Clean



Food Safe

## VALENCIA 2B.1D



Stainless Steel  
1160 x 500 mm  
Depth 160 mm

40300004



Easy Clean



Food Safe

## AVILA 1B




40300007



Easy Clean



Food Safe



Stainless Steel  
420 x 470 mm  
Depth 180 mm

## AVILA 1B.1D




40300008



Easy Clean



Food Safe



Stainless Steel  
800 x 500 mm  
Depth 180 mm

## VIGO 1B




40300011



Easy Clean



Food Safe



Stainless Steel  
450mm x 520mm  
380mm x 450mm  
Depth: 200mm

### SEVILLA 55.45




40300006



Easy Clean



Food Safe



Stainless Steel  
550 x 450 mm  
Depth 250 mm

### LE 40.40.25




40300005



Easy Clean



Food Safe



Stainless Steel  
450 x 450 mm  
Depth 185 mm


### POLO



40340001



Swivel Spout



Body zinc  
handle zinc  
Swivel spout  
Ceramic cartridge  
Flexible hose 40 cm 1 unit  
Chrome

Tap



1 Year Spare Parts  
Warranty



3 Years Free  
Technical Service



Here at Teka, we are always ready to listen and respond to your needs as seamlessly and quickly as possible



Our official service only uses type approved processes and original Teka parts because peace of mind and quality are at forefront of our business



Installation of new purchased of Teka products are free of charge



Teka will give free maintenance service 3 times in the first year of use of your new product within the timeframe of your warranty



LINΘA  
TEKA

*Tersedia di:*



JL.RAYA JANTI NO.96 YOGYAKARTA  
(0274) 493 22 88 , 08112863773 (CHAT ONLY)

f qhomemart t qhomemart @ qhomemart v qhomemart