





HUBUNGI : 🜔 🕞 HOMEMART

ROMAN GRANIT

HUBUNGI : DHOMEMART



HUBUNGI : 🜔 GHOMEMART

SUPERIOR FEATURES FOR UNIQUE SURFACES.

A selection of rectified glazed porcelain tiles made only with the best raw materials. Elegant, trendy, classic, or contemporary. Our collections provide colors and sizes to create the perfect aesthetic combinations. There are many reasons to choose RomanGranit: superior quality, reliability, and creative solutions offered.

ALL THE **EXCELLENCE** OF THE BEST **PORCELAIN TILES.**

A premium collection, bringing prestigious settings to life while redefining trends for modern living. There are many reasons for architects, interior designers, and final consumers to choose RomanGranit for their residential and commercial spaces: from the superior quality and reliability of the line, to the creative solutions it offers to both interior and exterior environments.

ROMAN





THE REAL GLAZED PORCELAIN TILES

Manufactured according to the highest standards of quality, using local white clay exposed to high pressure and temperatures exceeding 1200°C, Roman Granit is a Category B1A, certified ISO13006, product. Thanks to non-existing levels of water absorption, certified below 0,5%, real glazed porcelain tile are sure preserve their everlasting beauty.



DIGITAL TECNICA

An extraordinary technology that perfectly reproduces the actual effect of natural surfaces. Wood, marble and stone have never felt so real.

RECTIFIED

RECTIFIED EDGE

RomanGranit's products are all rectified: sizes are exact and tiles can be installed with minimum joints.

THE RELIABILITY OF A SOLID COMPANY.

Roman is the leader of ceramic brands in Indonesia. As a brand of 40 years in business, Roman offers high-value products to meet the needs of architects and interior designers: Roman ceramics tiles, suitable for everyday living spaces, and RomanGranit, a selection of refined glazed porcelain tiles.

STEPTILE VERSATILITY EVERYWHERE.

HUBUNGI : 🜔 🖓 HOMEMART


GRANIT





d**PALAIS**

STEPTILE






BGTB2017 dPalais Arabescato

6

HUBUNGI : 🜔 🖓 HOMEMART

d**SANMARTIN**

STEPTILE




BGTB2018 dSanmartin Chiaro

HUBUNGI : 🜔 🖓 HOMEMART



d**STRIATO**

STEPTILE






BGTB2012 dStriato Grigio

d**CONCRETO**

STEPTILE





BGTB2004 dConcreto Charcoal




BGTB2002 dConcreto Perla



o

dRINJANI

STEPTILE



BGTB2501C dRinjani Perla




BGTB2503C dRinjani Charcoal





d**TRAVERTINE**

STEPTILE






BGTB2001 dTravertine Noce

HUBUNGI : DHOMEMART

08112863773 CHAT ONLY

d**ROMANO**

STEPTILE






BGTB2026 dRomano Brown





d**buckingham**

STEPTILE





BGTB2021 dBuckingham Bruno

HUBUNGI : DHOMEMART






BGTB2220 dCask Walnut



BGTB2221 dCask Rosato



High versatility, extra resistance



HUBUNGI : 🜔 GHOMEMART



dCRENATA

SIZE: 120X30 SURFACE: STRUCTURED dCrenata Maple



BGTB5516 dCrenata Maple

16






STEPTILE

d**MONGREL**

STEPTILE





BGTB2218 dMongrel Cherry



BGTB2219 dMongrel Wengue








120x30

dBuckingham	13
dCask	14
dCrenata	16
dConcreto	9
dMongrel	17
dPalais	6
dRinjani	10
dRomano	12
dSanmartin	7
dStriato	8
dTravertine	11



SHADE VARIATIONS

Shade variations are the characteristic of the tile that deliberate and visible differences in graphics and colour hue. Digital Tecnica technology creates stunning porcelain tiles with hyper-realistic surface tones, markings and textures which mimic a range of natural materials including; stone, timber, terracotta, cement, mosaic, marble and more.



HUBUNGI : 🜔 🖓 HOMEMART

08112863773 CHAT ONLY

TECHNICAL SPECIFICATION

TECHNICAL CHARACTERISTIC	TEST METHOD OR AS PER NORM	ISO 13006 REQUIREMENT	ROMANGRANIT
Length and Width	ISO 10545-2	± 0.6%	± 0.10%
Side Straightness	ISO 10545-2	± 0.5%	± 0.10%
Rectangularity	ISO 10545-2	± 0.6%	± 0.10%
Centre & Edge Curvature	ISO 10545-2	± 0.5%	- 0.15% to + 0.25%
Warpage	ISO 10545-2	± 0.5%	± 0.25%
Thickness	ISO 10545-2	± 5.0%	± 4.0%
Water Absorption	ISO 10545-3	Group B1a ≤ 0.5%	< 0.25%
Modulus of Rupture	ISO 10545-4	Group B1a 35 Ind. Min. 32 N/mm ²	≥ 40 N/mm²
Crazing Resistance	ISO 10545-11	Required	Resistant
Chemical Resistance	ISO 10545-13	Minimum Class GB	Minimum Class GB
Stain Resistance	ISO 10545-14	Minimum Class III	Minimum Class IV
Abrasion Resistance	ISO 10545-7	Group I to V	Group III to V

- The governing sizes and weights are subject to usual variations expected of fired ceramic productions.

- Slight variations of shades/colours and surface finishes are inherent due to the nature of ceramic tile production process.

STANDARD PACKING DATA

FACTORY	ТҮРЕ	SIZE	PIECES/BOX	APPROX. SQM/BOX	APPROX. WEIGHT KG/BOX	BOXES/ PALLET	PALLET/ CONTAINER	approx. Weight Kg/Pallet	APPROX. WEIGHT TONNE/CONT.		APPROX. BOX/CONT.
SRKI	Rectified	steptile 120x30	4	1.44	30.2	18	40	569	22.7	1037	720

Packing information may vary depending on spesification of each motif and size.
The colors illustrated in this brocure are produces near to actual colors.



HUBUNGI COMMEMART JL.RAYA JANTI NO.96 YOGYAKARTA (0274) 493 22 88

OB112863773 (CHAT ONLY) **A** ghomemart **Y** ghomemart **O** ghomemart **P** ghomemart

WWW.QHOMEMART.COM