




The Key to
Excellent
Living





PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY INVISIBLE HINGE P100



Full Stainless Steel
SUS 304 Material



Rust & Corrosion
Resistant



Strong Precise
Construction



Ultra Heavy
Duty



ADJUSTABLE

Posisi pintu dapat diatur:

- Atas - bawah $\pm 2.5\text{mm}$ (total 5mm)
- Kanan - kiri $\pm 2.5\text{mm}$ (total 5mm)
- Maju - mundur $\pm 1\text{mm}$ (total 2mm)



IHP 313


PVD Satin Gold

Max. Kapasitas Pintu : 100kg / 2pcs
Max. Lebar Pintu : 900mm
Max. Tinggi Pintu : 2400mm / 3pcs
 : 2800mm / 4pcs
Max. Buka Pintu : 150°
Ketebalan Pintu : 38mm ~ 55mm

HUBUNGI : QHOME MART



08112863773
CHAT ONLY

Available:




IHP 313
PVD Satin Gold

Gambar Bobokan Invisible Hinge (mm)



A = Kedalaman kusen
B = Ketebalan pintu
 $X = A - B + 4\text{mm}$ ($X = 4 \sim 5\text{mm}$)

Pengaplikasian berdasarkan tinggi pintu:



Engsel ke 3 menambah 25% berat kapasitas 2 engsel.

Engsel ke 4 menambah 20% dari total kapasitas 2 engsel.

Contoh:

Penggunaan engsel 100kg per pair

2 engsel: 100kg

3 engsel: $100\text{kg} + 25\text{kg} = 125\text{kg}$

4 engsel: $100\text{kg} + 25\text{kg} + 20\text{kg} = 145\text{kg}$

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY INVISIBLE HINGE P100N

-  Full Stainless Steel
SUS 304 Material
-  Rust & Corrosion
Resistant
-  Strong Precise
Construction
-  Ultra Heavy
Duty



Posisi pintu dapat diatur:

- Atas - bawah $\pm 3\text{mm}$ (total 6mm)
- Kanan - kiri $\pm 1.5\text{mm}$ (total 3mm)
- Maju - mundur $\pm 1.5\text{mm}$ (total 3mm)





IHP 322
Satin Black

- Max. Kapasitas Pintu : 100kg / 2pcs
- Max. Lebar Pintu : 950mm
- Max. Tinggi Pintu : 2400mm / 3pcs
: 2800mm / 4pcs
- Max. Buka-an Pintu : 180°
- Ketebalan Pintu : 38mm ~ 55mm

HUBUNGI :  **QHOME MART**

08112863773
CHAT ONLY




IHP 321
Satin Stainless Steel





IHP 322
Satin Black

Gambar Bobokan Invisible Hinge (mm)

Sisi Pintu




Sisi Kusen




A = Kedalaman kusen
B = Ketebalan pintu
X = A - B + 4mm (X = 4 ~ 5mm)

Pengaplikasian berdasarkan tinggi pintu:

≤ 2400mm (3 Engsel)



2400 ~ 2700mm (4 Engsel)



Engsel ke 3 menambah 25% berat kapasitas 2 engsel.

Engsel ke 4 menambah 20% dari total kapasitas 2 engsel.

Contoh:

Penggunaan engsel 100kg per pair

2 engsel: 100kg

3 engsel: 100kg + 25kg = 125kg

4 engsel: 100kg + 25kg + 20kg = 145kg

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY INVISIBLE HINGE P120



SUPERALUM
Material



Rust & Corrosion
Resistant



Strong Precise
Construction



Heavy
Duty



Posisi pintu dapat diatur:

- Atas - bawah $\pm 2.5\text{mm}$ (total 5mm)
- Kanan - kiri $\pm 1\text{mm}$ (total 2mm)
- Maju - mundur $\pm 1\text{mm}$ (total 2mm)




IHP 806
Matte Black

Max. Kapasitas Pintu : 120kg / 2pcs
Max. Tinggi Pintu
1800mm ~ 2000mm : 2pcs
2100mm ~ 2500mm : 3pcs
2600mm ~ 3000mm : 4pcs
Max. Buka Pintu : 150°
Ketebalan Pintu : 42mm ~ 60mm

HUBUNGI : QHOME MART

08112863773
CHAT ONLY



IHP 803
Natural Anodized




IHP 806
Matte Black




IHP 809
Matte White

Gambar Bobokan Invisible Hinge (mm)



Pengaplikasian berdasarkan tinggi pintu:



Engsel ke 3 menambah 25% berat kapasitas 2 engsel.
Engsel ke 4 menambah 20% dari total kapasitas 2 engsel.

Contoh:
Penggunaan engsel 120kg per pair
2 engsel: 120kg
3 engsel: 120kg + 30kg = 150kg
4 engsel: 120kg + 30kg + 24kg = 174kg

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY INVISIBLE HINGE P80



SUPERALUM
Material



Rust & Corrosion
Resistant



Strong Precise
Construction



Heavy
Duty



Posisi pintu dapat diatur:

- Atas - bawah $\pm 2\text{mm}$ (total 4mm)
- Kanan - kiri $\pm 1.25\text{mm}$ (total 2.5mm)
- Maju - mundur $\pm 1\text{mm}$ (total 2mm)





IHP 808
Matte White

Max. Kapasitas Pintu : 80kg / 2pcs
Max. Tinggi Pintu
1800mm ~ 2000mm : 2pcs
2100mm ~ 2500mm : 3pcs
2600mm ~ 3000mm : 4pcs
Max. Buka Pintu : 150°
Ketebalan Pintu : 36mm ~ 50mm

HUBUNGI : QHOME MART

08112863773
CHAT ONLY



IHP 802
Natural Anodized




IHP 805
Matte Black




IHP 808
Matte White

Gambar Bobokan Invisible Hinge (mm)



Pengaplikasian berdasarkan tinggi pintu:



Engsel ke 3 menambah 25% berat kapasitas 2 engsel.
Engsel ke 4 menambah 20% dari total kapasitas 2 engsel.

Contoh:
Penggunaan engsel 80kg per pair
2 engsel: 80kg
3 engsel: 80kg + 20kg = 100kg
4 engsel: 80kg + 20kg + 16kg = 116kg

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY INVISIBLE HINGE P40



SUPERALUM
Material



Rust & Corrosion
Resistant



Strong Precise
Construction




Heavy
Duty



Posisi pintu dapat diatur:

- Atas - bawah $\pm 2\text{mm}$ (total 4mm)
- Kanan - kiri $\pm 1.25\text{mm}$ (total 2.5mm)
- Maju - mundur $\pm 1\text{mm}$ (total 2mm)





IHP 801

Natural Anodized

Max. Kapasitas Pintu : 40kg / 2pcs
Max. Tinggi Pintu
1800mm ~ 2000mm : 2pcs
2100mm ~ 2500mm : 3pcs
Max. Buka Pintu : 150°
Ketebalan Pintu : 33mm ~ 45mm

HUBUNGI : QHOME MART

08112863773
CHAT ONLY



IHP 801
Natural Anodized




IHP 804
Matte Black





IHP 807
Matte White

Gambar Bobokan Invisible Hinge (mm)


Kusen

Pintu




Pengaplikasian berdasarkan tinggi pintu:

≤ 2400mm (3 Engsel)



2400 ~ 2700mm (4 Engsel)



Engsel ke 3 menambah 25% berat kapasitas 2 engsel.

Engsel ke 4 menambah 20% dari total kapasitas 2 engsel.

Contoh:

Penggunaan engsel 40kg per pair
2 engsel: 40kg

3 engsel: $40\text{kg} + 10\text{kg} = 50\text{kg}$

4 engsel: $40\text{kg} + 10\text{kg} + 8\text{kg} = 58\text{kg}$

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY INVISIBLE HINGE P65



Full Stainless Steel
SUS 304 Material




Rust & Corrosion
Resistant



Strong Precise
Construction




Heavy
Duty




IHP 213
Satin Stainless Steel


Max. Kapasitas Pintu	: 65kg / 2pcs
Max. Lebar Pintu	: 800mm
Max. Tinggi Pintu	: 2400mm / 3pcs 2700mm / 4pcs
Ketebalan Pintu	: 35mm ~ 45mm



Gambar Bobokan Invisible Hinge (mm)



Pengaplikasian berdasarkan tinggi pintu:



Engsel ke 3 menambah 25% berat kapasitas 2 engsel.
Engsel ke 4 menambah 20% dari total kapasitas 2 engsel.

Contoh:
Penggunaan engsel 65kg per pair
2 engsel: 65kg
3 engsel: 65kg + 16kg = 81kg
4 engsel: 65kg + 16kg + 13kg = 94kg

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY INVISIBLE HINGE P50



Full Stainless Steel
SUS 304 Material




Rust & Corrosion
Resistant



Strong Precise
Construction



Heavy
Duty




IHP 212

Satin Stainless Steel


Max. Kapasitas Pintu	: 50kg / 2pcs
Max. Lebar Pintu	: 800mm
Max. Tinggi Pintu	: 2100mm / 3pcs 2400mm / 4pcs
Ketebalan Pintu	: 28mm ~ 35mm

HUBUNGI :  QHOME MART


08112863773
CHAT ONLY



Gambar Bobokan Invisible Hinge (mm)



Pengaplikasian berdasarkan tinggi pintu:



Engsel ke 3 menambah 25% berat kapasitas 2 engsel.
Engsel ke 4 menambah 20% dari total kapasitas 2 engsel.

Contoh:
Penggunaan engsel 50kg per pair
2 engsel: 50kg
3 engsel: 50kg + 12kg = 62kg
4 engsel: 50kg + 12kg + 10kg = 72kg

PALOMA®


EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY DOOR CLOSER 992-CONCEALED



DCP 512
Matte Black



High Grade
Solid Aluminium



High Quality
Hydraulic Oil



Anti Rust &
Corrosion



Strong Precise
Construction



Sliding Arm
Mechanism




Heavy
Duty

Max Door Weight: 70kg
Max Door Width: 900mm
Min Door Thickness : 45mm

HUBUNGI :  QHOME MART

08112863773
CHAT ONLY

Available:




DCP 511
Natural Anodized

DCP 512
Matte Black




High Quality Hydraulic Oil

Adjustable Closing & Latching Speed



Adjustable Telescopic Arm
Easy adjustable to help with the hassle-free installation and smooth transition of opening/closure.

High Grade Solid Aluminium Body



Left and Right Handed Operation
Design to work with left opening/closing and right opening/closing doors.

PALOMA®


EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY DOOR CLOSER 935-CONCEALED



DCP 521
Natural Anodized



High Grade
Solid Aluminium



High Quality
Hydraulic Oil



Anti Rust &
Corrosion



Strong Precise
Construction




Sliding Arm
Mechanism



Heavy
Duty

Max Door Weight: 90kg
Max Door Width: 1000mm
Min Door Thickness : 40mm

Available:



DCP 521
Natural Anodized




DCP 522
Matte Black




High Quality Hydraulic Oil

Adjustable Closing & Latching Speed



Adjustable Telescopic Arm
Easy adjustable to help with the hassle-free installation and smooth transition of opening/closure.

High Grade Solid Aluminium Body



Left and Right Handed Operation
Design to work with left opening/closing and right opening/closing doors.

PALOMA®


EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY DOOR CLOSER 993-CONCEALED



DCP 502
Matte Black



High Grade
Solid Aluminium



High Quality
Hydraulic Oil



Anti Rust &
Corrosion



Strong Precise
Construction



Sliding Arm
Mechanism




Heavy
Duty

Max Door Weight: 50kg
Max Door Width: 800mm
Min Door Thickness : 40mm

HUBUNGI :  **QHOME**MART

08112863773
CHAT ONLY

Available:




DCP 501
Natural Anodized

DCP 502
Matte Black




High Quality Hydraulic Oil

Adjustable Closing & Latching Speed



Adjustable Telescopic Arm
Easy adjustable to help with the hassle-free installation and smooth transition of opening/closure.

High Grade Solid Aluminium Body



Left and Right Handed Operation
Design to work with left opening/closing and right opening/closing doors.

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY DOOR CLOSER 925-SLIDING ARM



DCP 412
Matte Black



High Grade
Solid Aluminium



High Quality
Hydraulic Oil



Anti Rust &
Corrosion



Strong Precise
Construction



Sliding Arm
Mechanism




Heavy
Duty

Max Door Weight: 60kg
Max Door Width: 900mm

HUBUNGI :  QHOME MART

08112863773
CHAT ONLY



Available:




DCP 411
Natural Anodized



DCP 412
Matte Black

Adjustable Closing & Latching Speed




High Quality Hydraulic Oil

Adjustable Telescopic Arm
Easy adjustable to help with the hassle-free installation and smooth transition of opening/closure.



High Grade Solid Aluminium Body



Left and Right Handed Operation
Design to work with left opening/closing and right opening/closing doors.

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY DOOR CLOSER 956-NHO

DCP 302
Matte Black



SUITABLE FOR
ALUMINIUM,
WOOD OR
METAL DOORS
& FRAMES



High Grade
Solid Aluminium



High Quality
Hydraulic Oil



Anti Rust &
Corrosion



Strong Precise
Construction




Heavy
Duty

Max Door Weight: 100kg
Max Door Width: 1000mm

HUBUNGI :  QHOMEMART

08112863773
CHAT ONLY



Available:




DCP 301
Natural Anodized



DCP 302
Matte Black

High Grade Solid Aluminium Body



High Quality Hydraulic Oil


Rotating Control Shaft

Super strength aluminium control shaft for smooth opening and closing.

Adjustable Telescopic Arm

Easy adjustable to help with the hassle-free installation and smooth transition of opening/closure.

Adjustable Closing & Latching Speed



Secure Nail Joint

Strong construction keeps the closer in place for control, stability, and safety.

Left and Right Handed Operation

Design to work with left opening/closing and right opening/closing doors.

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY DOOR CLOSER 925-NHO

DCP 402
Matte Black



High Grade
Solid Aluminium



High Quality
Hydraulic Oil



Anti Rust &
Corrosion



Strong Precise
Construction




Heavy
Duty

Door Weight: 40-100kg
Max Door Width: 1000mm

HUBUNGI :  QHOME MART

08112863773
CHAT ONLY

Available:



DCP 401
Natural Anodized

DCP 402
Matte Black

High Grade Solid Aluminium Body



High Quality Hydraulic Oil

Rotating Control Shaft

Super strength aluminium control shaft for smooth opening and closing.

Adjustable Telescopic Arm

Easy adjustable to help with the hassle-free installation and smooth transition of opening/ closure.

Adjustable Closing & Latching Speed



Secure Nail Joint

Strong construction keeps the closer in place for control, stability, and safety.

Left and Right Handed Operation

Design to work with left opening/closing and right opening/closing doors.

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY DOOR CLOSER 900-NHO

DCP 101
Natural Anodized



**SUITABLE FOR
ALUMINIUM,
WOOD OR
METAL DOORS
& FRAMES**



**High Grade
Solid Aluminium**



**Anti Rust &
Corrosion**



**High Quality
Hydraulic Oil**



**Strong Precise
Construction**




**Heavy
Duty**

**Max Door Weight: 40kg
Max Door Width: 800mm**

HUBUNGI :  **QHOME MART**

08112863773
CHAT ONLY



Available:



DCP 101
Natural Anodized



DCP 102
Brown Anodized

High Grade Solid Aluminium Body



Hydraulic With German Oil

Rotating Control Shaft

Super strength aluminium control shaft for smooth opening and closing.


Adjustable Telescopic Arm

Easy adjustable to help with the hassle-free installation and smooth transition of opening/closure.

Secure Nail Joint

Strong construction keeps the closer in place for control, stability, and safety.

Adjustable Closing & Latching Speed



Left and Right Handed Operation

Design to work with left opening/closing and right opening/closing doors.

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY DOOR CLOSER 900-HO

DCP 111
Natural Anodized



High Grade
Solid Aluminium



High Quality
Hydraulic Oil



Anti Rust &
Corrosion



Strong Precise
Construction



Heavy
Duty

Max Door Weight: 40kg
Max Door Width: 800mm


HUBUNGI :  QHOME MART

08112863773
CHAT ONLY

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE

Available:



DCP 111
Natural Anodized

DCP 112
Brown Anodized

High Grade Solid Aluminium Body



Hydraulic With German Oil



Rotating Control Shaft

Super strength aluminium control shaft for smooth opening and closing.

Adjustable Telescopic Arm

Easy adjustable to help with the hassle-free installation and smooth transition of opening/closure.

Adjustable Closing & Latching Speed



Secure Nail Joint

Strong construction keeps the closer in place for control, stability, and safety.

Left and Right Handed Operation

Design to work with left opening/closing and right opening/closing doors.

PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY PIVOT HINGE 800 HD

PVP 881

Satin Stainless Steel



SS SUS 304
+ Steel



Rust & Corrosion
Resistant



Strong Precise
Construction




Ultra Heavy
Duty

Max Door Weight: 800kg



Max Door Width: 1500mm

Min Door Thickness: 80mm

TOP PIVOT



BOTTOM PIVOT



Perhitungan celah pintu ke dinding:


T : Door thickness

C : Pivot center to door edge
(min 60MM)


G : Door gap (wall to door)

$$D = \sqrt{(\frac{1}{2}T)^2 + C^2}$$

$$G = D - C + 3\text{MM (minimum)}$$



Catatan: Celah pintu terkecil 3mm dapat dicapai dengan pembulatan tepi pintu, sehingga $D = C$.



PALOMA®


EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY PIVOT HINGE 300 HD

PVP 831

Satin Stainless Steel



SS SUS 304
+ Steel



Rust & Corrosion
Resistant




Strong Precise
Construction





Ultra Heavy
Duty

Max Door Weight: 300kg
Max Door Width: 1500mm
Min Door Thickness: 55mm

TOP PIVOT



BOTTOM PIVOT



Perhitungan celah pintu ke dinding:


T : Door thickness

C : Pivot center to door edge
(min 60MM)


G : Door gap (wall to door)

$$D : \sqrt{(\frac{1}{2}T)^2 + C^2}$$

$$G : D - C + 3\text{MM (minimum)}$$



Catatan: Celah pintu terkecil 3mm dapat dicapai dengan pembulatan tepi pintu, sehingga $D = C$.



PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY PIVOT HINGE 9985 HYDRAULIC

PVP 901

Natural Anodized
+ Satin Stainless Steel



**APPLIED FOR
WOODEN OR
HEAVY METAL
DOORS**



Aluminium +
SS SUS 304



Hydraulic
System



Rust & Corrosion
Resistant



Strong Precise
Construction




Heavy
Duty

Max Door Weight: 85kg
Min-Max Door Width: 800-950mm
Min Door Thickness: 45mm



HUBUNGI :  QHOME MART

08112863773
CHAT ONLY


TOP PIVOT




BOTTOM PIVOT



Cara Penyetelan Kecepatan Buka-Tutup Pintu



Penyesuaian Pintu



PALOMA®



EXCELLENT ARCHITECTURAL HARDWARE



HIGH QUALITY PIVOT HINGE 005

PVP 501

Satin Stainless Steel



Stainless Steel
SUS 304 Material



Rust & Corrosion
Resistant



Strong Precise
Construction



Heavy
Duty

Max Door Weight: 250kg

Max Door Width: 1100mm

Min Door Thickness: 40mm


HUBUNGI :  QHOME MART

08112863773
CHAT ONLY


	Tebal Pintu (mm)				Berat Pintu (maksimal)	Lebar Pintu (maksimal)	Jarak As (X) minimal
	40	50	60	70			
Celah Pintu (Y) Minimal Sisi Engsel (mm)	4	6	8	10	250 kg	1100 mm	70 mm

* Jika Lebar Pintu 1200 ~ 1400, maka Jarak As (X) minimal = 200 mm


* Jika Lebar Pintu 1500 ~ 1800, maka Jarak As (X) minimal = 300 mm



Top Pivot



Bottom Pivot



PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE



**SUITABLE FOR
ALUMINIUM,
WOOD OR
METAL DOORS
& FRAMES**

HIGH QUALITY PIVOT HINGE 006


PVP 601 (Right)
Satin Stainless Steel




PVP 602 (Left)
Satin Stainless Steel



Top



Bottom



**SS SUS 304
+ Iron Material**



**Strong Precise
Construction**



**Rust & Corrosion
Resistant**




**Heavy
Duty**

Max Door Weight: 120kg

Max Door Width: 120mm

Min Door Thickness: 30mm

Pemasangan Pivot pada Dua Pintu (Kanan-Kiri)



PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE




HIGH QUALITY PIVOT HINGE 001

PVP 101


Satin Stainless Steel



Unit : mm



Pasang di daun jendela



Pasang di kusen jendela



Stainless Steel
SUS 304 Material



Rust & Corrosion
Resistant



Strong Precise
Construction



Heavy
Duty

Max Window Weight: 50kg
Min Window Thickness: 30mm

HUBUNGI : QHOME MART

08112863773
CHAT ONLY


PALOMA®

EXCELLENT ARCHITECTURAL HARDWARE




HIGH QUALITY PIVOT HINGE 002


PVP 201
Polished Brass



PVP 202
Satin Nickel



Pasang di daun jendela



Pasang di kusen jendela

- High Grade Brass Material
- Anti-Rust & Anti-Corrosion
- Strong Precise Construction
- Heavy Duty

Max Window Weight: 45kg
Min Window Thickness: 30mm

HUBUNGI : QHOME MART

08112863773
CHAT ONLY





HUBUNGI



JL.RAYA JANTI NO.96

YOGYAKARTA

(0274) 493 22 88

08112863773

(CHAT ONLY)

f qhomemart **t qhomemart**

@ qhomemart **y qhomemart**

WWW.QHOMEMART.COM