

Fisher & Paykel



COOKING
CATALOGUE

BUILT IN INDUCTION
&
BUILT IN GAS HOB
COLECTION



BEAUTIFUL TO USE

INSTANT RESPONSE

Go from a boil to a simmer in seconds. Fisher & Paykel TouchandSlide controls react immediately when you adjust the temperature so you don't waste time in the kitchen.



SAFER CHOICE

Induction cooktops only start heating your pot or pan once you've placed it on the ceramic surface and stop as soon as you remove it – so you don't have to worry about curious little fingers or leaving an element on.

EASY CLEANING


The surface around your cookware stays cool when you cook, preventing baked-on spills and making cleaning up a breeze. The durable ceramic cooktop surface just needs a quick wipe after use to maintain its good looks.



SUPERIOR EFFICIENCY




No heat is wasted during induction cooking because only the cookware is heated, not the cooktop surface. This makes induction cooking more energy-efficient than electric or gas cooktops.




CI926DTB4

Induction Cooktop, 92cm, Full Surface



Induction Cooktop, 92cm, Full Surface



Place up to six pots or pans at once, with even heating anywhere within the cooking zone
Large, high-resolution touchscreen displays the positions of the cookware
Immediate heat response and extremely accurate temperature control
Cooktop remains cool to touch until a pot or pan is placed on the surface

SPECIFICATIONS

Height 52mm x Width 920mm x Depth 530mm

CLEANING

Flat easy clean glass surface
Pan detection system

CONTROLS

Auto cut-off timer for each zone
Intuitive touchscreen display
Minute timer
Multi-language display

PERFORMANCE

Auto heat reduce
Gentle heat
Heat settings 17
Induction cooking technology
PowerBoost

POWER REQUIREMENTS

Amperage 48A
Supply frequency 60Hz
Supply voltage 220 - 240V

PRODUCT DIMENSIONS

Depth 530mm
Height 52mm
Width 920mm

SAFETY

Keylock
Pan detection system
Safety time out
Spillage auto off
Surface hot indicators

ZONE RATINGS

PowerBoost up to 3700W

ZONES

Number of elements 1

CI905DTB3

Induction Cooktop, 90cm, 5 Zones with SmartZone





Child and pet safe – cooktop remains cool to touch until a pot or pan is placed on the surface
 PowerBoost activates a very high heat, bringing liquid to boil in less than a minute
 Touch&Slide controls easily control each cook zone

SPECIFICATIONS

Height 49mm x Width 900mm x Depth 530mm

CLEANING

Flat easy clean glass surface
 Pan detection system

CONTROLS

Auto cut-off timer for each zone
 Minute timer
 Soft-touch electronic controls
 Touch and slide controls

PERFORMANCE

Auto heat reduce
 Dual colour display
 Dual zones
 Heat settings 9
 Induction cooking technology
 SmartZone
 Zone bridging

SAFETY

Keylock
 Pan detection system
 Safety time out
 Spillage auto off
 Surface hot indicators

ZONE RATINGS

PowerBoost	up to	5500W
Right front		2100W
Right front zone (PowerBoost set)		3700W
Right rear	2	100W
Right rear zone (PowerBoost set)		3700W

ZONES

Number of elements 5

POWER REQUIREMENTS

Amperage 48A
 Supply voltage 220-240V

CI905DTB4

Induction Cooktop, 90cm, 5 Zones with SmartZone



HUBUNGI :  **QHOMEMART**

08112863773
CHAT ONLY



Child and pet safe – cooktop remains cool to touch until a pot or pan is placed on the surface
 PowerBoost activates a very high heat, bringing liquid to boil in less than a minute
 Touch&Slide controls easily control each cook zone

SPECIFICATIONS

Height 54mm x Width 900mm x Depth 530mm

CLEANING

Flat easy clean glass surface
 Pan detection system

CONTROLS

Auto cut-off timer for each zone
 Minute timer
 Soft-touch electronic controls
 Touch and slide controls

PERFORMANCE

Auto heat reduce
 Dual colour display
 Dual zones
 Heat settings 9
 Induction cooking technology
 SmartZone
 Zone bridging

POWER REQUIREMENTS

Supply voltage 220-240V

SAFETY

Keylock
 Pan detection system
 Safety time out
 Spillage auto off
 Surface hot indicators

ZONE RATINGS

Centre	1850 / 2600W
Centre front	2100W
Left front zone (PowerBoost set)	2100W (3700W)
Left rear zone (PowerBoost set)	2100W (3700W)
PowerBoost	up to 5500W
Right front zone (PowerBoost set)	2100W (3700W)
Right rear zone (PowerBoost set)	2100W (3700W)


ZONES

Number of elements 5

CID834DTB4

Induction Cooktop, 83cm, 4 Zones





SPECIFICATIONS

Height 218mm x Width 830mm x Depth 515mm

CLEANING

Dishwasher safe grease filter
Flat easy clean glass surface
Flush grille
Pan detection system

CONTROLS

Auto cut-off timer for each zone
Minute timer
Soft-touch electronic controls
Touch and slide controls

PERFORMANCE

Gentle heat
Heat settings 9
Induction cooking technology
Pause function
PowerBoost
SmartZone

POWER REQUIREMENTS

Electrical connection Terminal block
Maximum power 7.4kW
Supply frequency 50Hz
Supply voltage 220 - 240V

ZONES

Number of elements 4

SAFETY

Keylock
Pan detection system
Safety time out
Surface hot indicators

ZONE RATINGS

Left front	2100W	
Left front zone (PowerBoost set)		3000W
Left rear	2100W	
Left rear zone (PowerBoost set)		3000W
Right front	2100W	
Right front zone (PowerBoost set)		3000W
Right rear	2100W	
Right rear zone (PowerBoost set)		3000W
SmartZone	3700W	

DOWNDRAFT PERFORMANCE

Air outlet size	220mm W x 90 mm H
Air speeds	9 + boost
Ducted externally	
Ducting direction	Side, Rear
Maximum air flow (Boost)	660m ³ /hr
Maximum air flow (Level 9)	623m ³ /hr
Maximum noise level (Boost)	70dBA
Maximum noise level (Level 9)	69dBA
Minimum air flow	192m ³ /hr
Minimum noise level	38dBA
Motor type	

CI604DTB3

Induction Cooktop, 60cm, 4 Zones with SmartZone



Induction Cooktop, 60cm, 4 Zones with SmartZone



Ultimate flexibility. A stand-out choice, with four cooking zones that can be combined to create two SmartZones, plus a dual zone.

SPECIFICATIONS

Height 49mm x Width 600mm x Depth 530mm

CLEANING

Flat easy clean glass surface
Pan detection system

CONTROLS

Auto cut-off timer for each zone
Minute timer
Soft-touch electronic controls
Touch and slide controls

PERFORMANCE

Auto heat reduce
Dual colour display
Gentle heat
Heat settings 9
Induction cooking technology
SmartZone
Zone bridging

POWER REQUIREMENTS

Amperage 30A
Supply voltage 220 - 240V

SAFETY

Keylock
Pan detection system
Safety time out
Spillage auto off

ZONE RATINGS

Left front	2100W
Left front zone (PowerBoost set)	3700W
Left rear	2100W
Left rear zone (PowerBoost set)	3700W
PowerBoost up to	3700W
Right front	2100W
Right front zone (PowerBoost set)	3700W
Right rear	2100W
Right rear zone (PowerBoost set)	3700W

ZONES

Number of elements 4

CI604CTB1

Induction Cooktop, 60cm, 4 Zones



Induction Cooktop, 60cm, 4 Zones



Great for compact kitchens. Enjoy the instant-response cooktop, energy efficiency and cool-to-touch safety.

SPECIFICATIONS

Height 57mm x Width 600mm x Depth 530mm

CLEANING

- Flat easy clean glass surface
- Pan detection system

CONTROLS

- Auto cut-off timer for each zone
- Minute timer
- Soft-touch electronic controls
- Touch and slide controls

PERFORMANCE

- Gentle heat
- Heat settings 9
- Induction cooking technology
- PowerBoost

POWER REQUIREMENTS

- Amperage 32A
- Supply voltage 220 - 240V

SAFETY

- Keylock
- Pan detection system
- Safety time out
- Spillage auto off
- Surface hot indicators

ZONE RATINGS

- | | |
|-----------------------------------|-------|
| Left front | 2300W |
| Left front zone (PowerBoost set) | 3000W |
| Left rear | 1200W |
| Left rear zone (PowerBoost set) | 1400W |
| PowerBoost up to | 3000W |
| Right front | 200W |
| Right front zone (PowerBoost set) | 1400W |
| Right rear | 2300W |
| Right rear zone (PowerBoost set) | 3000W |


ZONES

- Number of elements 4

CI604DTB4

Induction Cooktop, 60cm, 4 Zones with SmartZone





Ultimate flexibility. A stand-out choice, with four cooking zones that can be combined to create two SmartZones, plus a dual zone.

SPECIFICATIONS

Height 54mm x Width 600mm x Depth 530mm

CLEANING

Flat easy clean glass surface
Pan detection system

CONTROLS

Auto cut-off timer for each zone
Minute timer
Soft-touch electronic controls
Touch and slide controls

PERFORMANCE

Auto heat reduce
Dual colour display
Gentle heat
Heat settings 9
Induction cooking technology
SmartZone
Zone bridging

POWER REQUIREMENTS

Maximum power 7kW
Supply frequency 60Hz
Supply voltage 220 - 240V

SAFETY

Keylock
Pan detection system
Safety time out
Spillage auto off

ZONE RATINGS

Left front zone (PowerBoost set)	2100W (3700W)
Left rear zone (PowerBoost set)	2100W (3700W)
PowerBoost	up to 3700W
Right front zone (PowerBoost set)	3700W
Right front zone 2 (PowerBoost set)	2100W (3700W)
Right rear zone (PowerBoost set)	2100W (3700W)

ZONES

Number of elements 4

CI603DTB2

Induction Cooktop, 60cm, 3 Zones



Induction Cooktop, 60cm, 3 Zones



Great for compact kitchens. Enjoy the instant-response cooktop, energy efficiency and cool-to-touch safety.

SPECIFICATIONS

Height 49mm x Width 600mm x Depth 530mm

CLEANING

Flat easy clean glass surface
Pan detection system

CONTROLS

Auto cut-off timer for each zone
Minute timer
Soft-touch electronic controls
Touch and slide controls

PERFORMANCE

Auto heat reduce
Dual colour display
Heat settings 9
Induction cooking technology

POWER REQUIREMENTS

Amperage 30A
Supply voltage 220-240V

SAFETY

Keylock
Pan detection system
Safety time out
Spillage auto off
Surface hot indicators

ZONE RATINGS

Left front zone (PowerBoost set)	1400W (2200W)
Left rear zone (PowerBoost set)	1400W (2200W)
PowerBoost	up to 5500W
Right front zone (PowerBoost set)	1850/2600W (3000/5500W)


ZONES

Number of elements 3

CI603DTB4

Induction Cooktop, 60cm, 3 Zones with SmartZone





Great for compact kitchens. Enjoy the instant-response cooktop, energy efficiency and cool-to-touch safety.

SPECIFICATIONS

Height 54mm x Width 600mm x Depth 530mm

CLEANING

Flat easy clean glass surface
Pan detection system

CONTROLS

Auto cut-off timer for each zone
Minute timer
Soft-touch electronic controls
Touch and slide controls

PERFORMANCE

Auto heat reduce
Gentle heat
Heat settings 9
Induction cooking technology
PowerBoost

SAFETY

Keylock
Pan detection system
Safety time out
Spillage auto off
Surface hot indicators

ZONE RATINGS

Left front zone (PowerBoost set)	1400W (2200W)
Left rear zone (PowerBoost set)	1400W (2200W)
PowerBoost	up to 5500W
Right front zone (PowerBoost set)	1850/2600W (3000/5500W)

ZONES

Number of elements 3

POWER REQUIREMENTS


Amperage	30A
Supply voltage	220-240V

CI302DTB3

Induction Cooktop, 30cm, 2 Zones with SmartZone



Induction Cooktop, 30cm, 2 Zones with SmartZone



Enjoy the ability to create a large cook zone with SmartZone, or to match with a two-burner gas cooktop.

SPECIFICATIONS

Height 49mm x Width 300mm x Depth 530mm

CLEANING

Flat easy clean glass surface
Pan detection system

CONTROLS

Auto cut-off timer for each zone
Minute timer
Soft-touch electronic controls
Touch and slide controls

PERFORMANCE

Auto heat reduce
Dual colour display
Gentle heat
Heat settings 9
Induction cooking technology
PowerBoost
SmartZone
Zone bridging

SAFETY

Individual hot surface indicators
Keylock
Pan detection system
Safety time out
Spillage auto off
Surface hot indicators

ZONE RATINGS

Front	2100W
Front zone (Powerboost set)	3700W
Rear	2100W
Rear zone (Powerboost set)	3700W

ZONES

Number of elements 2

POWER REQUIREMENTS

Amperage 16A

CI302CTB1

Induction Cooktop, 30cm, 2 Zones



Induction Cooktop, 30cm, 2 Zones



When you have a little space but a lot to do. With the instant response and cool-to-touch safety of induction technology.

SPECIFICATIONS

Height 57mm x Width 300mm x Depth 530mm

CLEANING

Flat easy clean glass surface
Pan detection system

CONTROLS

Auto cut-off timer for each zone
Minute timer
Soft-touch electronic controls

PERFORMANCE

Heat settings 9
Induction cooking technology
PowerBoost

POWER REQUIREMENTS

Amperage 16A
Supply voltage 220 - 240V

SAFETY

Keylock
Pan detection system
Safety time out
Spillage auto off
Surface hot indicators

ZONE RATINGS

Front	2300W
Front zone (Powerboost set)	3000W
PowerBoost up to	3000W
Rear	1200W
Rear zone (Powerboost set)	1400W

ZONES

Number of elements 2

CI302DTB4

Induction Cooktop, 30cm, 2 Zones





Enjoy the ability to create a large cook zone with SmartZone, or to match with a two-burner gas cooktop.

SPECIFICATIONS

Height 54mm x Width 300mm x Depth 530mm

CLEANING

Flat easy clean glass surface
Pan detection system

CONTROLS

Auto cut-off timer for each zone
Minute timer
Soft-touch electronic controls
Touch and slide controls

PERFORMANCE

Auto heat reduce
Dual colour display
Gentle heat
Heat settings 9
Induction cooking technology
PowerBoost
SmartZone
Zone bridging

SAFETY

Individual hot surface indicators
Keylock
Pan detection system
Safety time out
Spillage auto off
Surface hot indicators

ZONE RATINGS

Front	2100W
Front zone (Powerboost set)	3700W
Rear	2100W
Rear zone (Powerboost set)	3700W

ZONES

Number of elements 2

POWER REQUIREMENTS


Supply voltage 220 - 240V

ELECTRIC COOKTOP COLECTION

CE604DTB1

Electric Cooktop, 60cm, 4 Zones





SPECIFICATIONS

Height 58mm x Width 600mm x Depth 530mm

CLEANING

Flat easy clean glass surface

CONTROLS

Minute timer

Touch and slide controls

PERFORMANCE

Auto heat reduce

Dual colour display

Hi-light high speed ribbon elements

POWER REQUIREMENTS

Supply voltage 230 - 240V

SAFETY

Keylock

Safety time out

Spillage auto off

Temperature limiters

ZONE RATINGS

Left front 1200W

Left rear 1800W

Right front 1200W

Right rear 2200W/750W

ZONES

Number of elements 4

CE302CBX2

Electric Cooktop, 30cm, 2 Zones





SPECIFICATIONS

Height 63mm x Width 300mm x Depth 530mm

CLEANING

Flat easy clean glass surface

CONTROLS

Laser etched graphics

On indicator

Satin chrome control dials

PERFORMANCE

Dual colour display

Dual element

Hi-light high speed ribbon elements

POWER REQUIREMENTS

Supply voltage 220 - 240V

SAFETY

Individual hot surface indicators

Temperature limiters

ZONE RATINGS

Front 2100W

Front zone (Powerboost set) 3700W

Rear 2100W

Rear zone (Powerboost set) 3700W

ZONES

Number of elements 2

CG905DLPX1

Gas on Steel Cooktop, 90cm, LPG



All the essentials in a large cooktop, including a wok burner for high heat cooking.



All the essentials in a large cooktop, including a wok burner for high heat cooking.

SPECIFICATIONS

Height 59mm x Width 900mm x Depth 530mm

BURNER RATINGS

Auxiliary burner	1.10kW
Auxiliary burner (LPG)	1.10kW
Rapid burner	3.33kW
Semi-rapid burner power	2.36kW
Wok burner power	4.86kW

BURNERS

Number of burners 5

CLEANING

Easy clean cooktop design
Quick component removal

CONTROLS

Turned stainless dials

PERFORMANCE

Cast iron trivets
Electronic ignition
LPG/Town gas models
Quick connect gas valves

CG604DLPX1

Gas on Steel Cooktop, 60cm, LPG



Gas on Steel Cooktop, 60cm, LPG



All the essentials in a compact cooktop, including a wok burner for high heat cooking.

SPECIFICATIONS

Height 59mm x Width 600mm x Depth 530mm

BURNER RATINGS

Auxiliary burner (LPG)	1.10kW
Semi-rapid burner power	2.36kW
Wok burner power	3.33kW

BURNERS

Number of burners 4

CLEANING

Easy clean cooktop design
Quick component removal

CONTROLS

Ergonomic control dials
Toughened fused glass graphics
Turned stainless dials

PERFORMANCE

Cast iron trivets
Electronic ignition
Exceptionally low temperatures
LPG/Town gas models
Quick connect gas valves

SAFETY

Flame failure system
Spill containment 1L

BUILT IN OVEN COLECTION

OB60SDPTX1

Oven, 60cm, 16 Function, Self-cleaning



Oven, 60cm, 16 Function, Self-cleaning



A highlight of the Fisher & Paykel collection, this series 9 oven with touchscreen ensures that every dish is cooked to perfection.

SPECIFICATIONS

Height 598mm x Width 596mm x Depth 565mm

ACCESSORIES

Food probe	1
Full extension sliding shelves	2 sets
Grill rack	1 set
Optional Accessory round handle	Part 81645
Roasting dish	1
Step down wire shelf	1

CAPACITY

Shelf positions	6
Total gross	85L

CLEANING

Acid resistant graphite enamel
Pyrolytic self-clean
Removable oven door
Removable oven door inner glass
Removable shelf runners

FUNCTIONS

Air fry
Bake
Classic bake
Dehydrate
Fan bake
Fan forced
Fan grill
Grill
Number of functions 16
Pastry Bake
Pizza bake
Pyrolytic self-clean
Rapid proof
Roast
Slow cook
Vent bake
Warm

OB60SDPTB1

Oven, 60cm, 16 Function, Self-cleaning



Oven, 60cm, 16 Function, Self-cleaning



A highlight of the Fisher & Paykel collection, this Series 9 oven with touchscreen ensures that every dish is cooked to perfection.

SPECIFICATIONS

Height 598mm x Width 596mm x Depth 565mm

ACCESSORIES

Food probe	1
Full extension sliding shelves	2 sets
Grill rack	1 set
Roasting dish	1
Step down wire shelf	1

CAPACITY

Shelf positions	6
Total gross	85L

CLEANING

Acid resistant graphite enamel
Pyrolytic self-clean
Removable oven door
Removable oven door inner glass
Removable shelf runners

FUNCTIONS

Air fry
Bake
Classic bake
Dehydrate
Fan bake
Fan forced
Fan grill
Grill
Number of functions 16
Pastry Bake
Pizza bake
Pyrolytic self-clean
Rapid proof
Roast
Slow cook
Vent bake
Warm

OB60SD11PX1

Oven, 60cm, 11 Function, Self-cleaning



Oven, 60cm, 11 Function, Self-cleaning



A highlight of the Fisher & Paykel collection, this Series 9 oven ensures that every dish you create is cooked to perfection.

SPECIFICATIONS

Height 598mm x Width 596mm x Depth 565mm

ACCESSORIES

Contemporary round handle kit	81645 (optional)
Food probe	1
Full extension sliding shelves	2 sets
Full extension telescopic shelves	
Full extension telescopic sliding shelves	2 sets
Grill rack	1 set
Optional round handle	Part 81645
Roasting dish	1
Step down wire shelf	1

CAPACITY

Shelf positions	6
Total gross	85L

CLEANING

Acid resistant graphite enamel
Pyrolytic self-clean
Removable oven door
Removable oven door inner glass
Removable shelf runners

FUNCTIONS

Bake
Classic bake
Fan bake
Fan forced
Fan grill
Grill
Number of functions 11
Pastry Bake
Pyrolytic self-clean
Roast
Vent bake
Warm
Warm

OB60SD11PB1

Oven, 60cm, 11 Function, Self-cleaning



Oven, 60cm, 11 Function, Self-cleaning



A highlight of the Fisher & Paykel collection, this series 9 oven with touchscreen ensures that every dish is cooked to perfection.

SPECIFICATIONS

Height 598mm x Width 596mm x Depth 565mm

ACCESSORIES

Food probe	1
Full extension sliding shelves	2 sets
Full extension telescopic shelves	
Grill rack	1 set
Optional Accessory round handle	Part 81645
Roasting dish	1
Step down wire shelf	1

CAPACITY

Shelf positions	6
Total gross	85L

CLEANING

Acid resistant graphite enamel
Pyrolytic self-clean
Removable oven door
Removable oven door inner glass
Removable shelf runners

FUNCTIONS

Bake
Classic bake
Fan bake
Fan forced
Fan grill
Grill
Number of functions 11
Pastry Bake
Pyrolytic self-clean
Roast
Vent bake
Warm
Warm

OB60SD9X1

Oven, 60cm, 9 Function



Oven, 60cm, 9 Function



With generous capacity and beautiful contemporary styling, this built-in oven will complement your kitchen design perfectly.

SPECIFICATIONS

Height 598mm x Width 596mm x Depth 565mm

ACCESSORIES

Chromed shelf runners	
Contemporary round handle kit	Part 81645
Flat brushed baking tray	1
Full extension sliding shelves	1 set

CAPACITY

Shelf positions	6
-----------------	---

CLEANING

Acid resistant graphite enamel
Removable oven door
Removable oven door inner glass
Removable shelf runners

CONTROLS

Audio feedback
Automatic cooking/minute timer
Automatic pre-set temperatures
Celsius/Fahrenheit temperature
Electronic clock
Electronic oven control
Precise electronic temperature control
Sabbath mode

FUNCTIONS

Bake
Classic bake
Fan bake
Fan forced
Fan grill
Grill
Number of functions 9
Pizza bake
Roast
Vent bake

OB60SD9PB1

Oven, 60cm, 9 Function, Self-cleaning



HUBUNGI :  **QHOMEMART**

08112863773
CHAT ONLY

Oven, 60cm, 9 Function, Self-cleaning



With generous capacity and beautiful contemporary styling, this built-in oven will complement your kitchen design perfectly.

SPECIFICATIONS

Height 598mm x Width 596mm x Depth 565mm

ACCESSORIES

Chromed shelf runners	
Full extension sliding shelves	1 set
Grill rack	1 set
Optional round handle	Part 81645
Roasting dish	1
Step down wire shelf	1

CAPACITY

Shelf positions	6
Total gross	85L

CLEANING

Acid resistant graphite enamel
Pyrolytic self-clean
Removable oven door
Removable oven door inner glass
Removable shelf runners

FUNCTIONS

Bake
Classic bake
Fan bake
Fan forced
Fan grill
Grill
Number of functions 9
Pastry Bake with Pizza mode
Pizza bake
Pyrolytic self-clean
Roast

OB60SC7CEX2

Oven, 60cm, 7 Function



Oven, 60cm, 7 Function



With generous capacity and beautiful contemporary styling, this built-in oven will complement your kitchen design perfectly.

SPECIFICATIONS

Height 598mm x Width 596mm x Depth 565mm

ACCESSORIES

Catalytic panels	
Chromed shelf runners	
Contemporary round handle kit	Part 81645
Full extension sliding shelves	Optional (part 565048)
Full extension telescopic shelves	Optional (part 565048)
Optional Accessory round handle	Part 81645
Optional round handle	Part 81645
Roasting dish	1
Step down wire shelf	1
Telescopic sliding runners	2 sets

CAPACITY

Shelf positions	6
Total gross	85L

CLEANING

- Acid resistant graphite enamel
- Removable oven door
- Removable oven door inner glass
- Removable shelf runners

FUNCTIONS

- Bake
- Classic bake
- Fan bake
- Fan forced
- Fan grill
- Grill
- Number of functions 7
- Pastry Bake with Pizza mode
- Pizza bake

OB60SC5CEX2

Oven, 60cm, 5 Function



Oven, 60cm, 5 Function



With generous capacity and beautiful contemporary styling, this built-in oven will complement your kitchen design perfectly.

SPECIFICATIONS

Height 598mm x Width 596mm x Depth 565mm

ACCESSORIES

Catalytic panels	
Chromed shelf runners	
Full extension sliding shelves	Optional (part 565048)
Full extension telescopic shelves	Optional (part 565048)
Optional Accessory round handle	Part 81645
Optional catalytic panels	Part 562816
Optional round handle	Part 81645
Roasting dish	1
Step down wire shelf	1
Telescopic sliding runners	1 set
Telescopic sliding shelves	1 set

CAPACITY

Shelf positions	6
Total gross	85L

CLEANING

- Acid resistant graphite enamel
- Removable oven door
- Removable oven door inner glass
- Removable shelf runners

FUNCTIONS

- Bake
- Fan bake
- Fan grill
- Grill
- Number of functions 5
- Pastry Bake with Pizza mode
- Pizza bake

OB60SC7CEW2

Oven, 60cm, 7 Function





SPECIFICATIONS

Height 598mm x Width 596mm x Depth 565mm

ACCESSORIES

Catalytic panels	
Chromed shelf runners	
Full extension sliding shelves	Optional (part 565048)
Full extension telescopic shelves	Optional (part 565048)
Optional Accessory round handle	Part 81645
Optional catalytic panels	Part 562816
Optional round handle	Part 81645
Roasting dish	1
Step down wire shelf	1
Telescopic sliding runners	2 set
Telescopic sliding shelves	1 set

CAPACITY

Shelf positions	6
Total gross	85L

CLEANING

- Acid resistant graphite enamel
- Removable oven door
- Removable oven door inner glass
- Removable shelf runners

FUNCTIONS

- Bake
- Fan bake
- Fan grill
- Grill
- Number of functions 5
- Pastry Bake with Pizza mode
- Pizza bake

OB90S9MEPX3

Oven, 90cm, 9 Function, Self-cleaning



Oven, 90cm, 9 Function, Self-cleaning



SERIES 9 CONTEMPORARY

A highlight of our collection, this large capacity Series 9 oven gives you more room for all kinds of cooking, including Rotisserie.

SPECIFICATIONS

Height 478mm x Width 895mm x Depth 564mm

ACCESSORIES

Contemporary round handle kit	Part 81649
Grill rack	1 set
Roasting dish	1
Rotisserie set	1
Step down wire shelf	1
Telescopic sliding runners	1 set

CAPACITY

Shelf positions	4
Total gross	100L

CLEANING

Acid resistant graphite enamel
Fat filter
Pyrolytic self-clean
Removable oven door
Removable oven door inner glass
Removable shelf runners

FUNCTIONS

Bake
Fan bake
Fan forced
Fan grill
Grill
Number of functions 9
Pastry Bake
Pyrolytic self-clean
Roast
Rotisserie
Warm
Warm

BUILT COMBI STEAM OVEN COLECTION

OS60NDB1

Combination Steam Oven, 60cm, 9 Function



Combination Steam Oven, 60cm, 9 Function



Reduce the need for oils and fats with steam cooking.
Its compact size makes this perfect to pair with a warming drawer.

SPECIFICATIONS

Height 458mm x Width 596mm x Depth 562mm

ACCESSORIES

Baking pan	1
Contemporary round handle kit	Optional round handle
Food probe	1
Optional round handle	Part 81648
Perforated baking tray	1
Wire shelf	1

CAPACITY

Shelf positions	3
Total capacity	36L
Total gross	36L
Usable capacity	29L

CLEANING

Easy clean stainless steel interior
Easy to clean formed side racks
Removable water tank
Steam clean (oven)

FUNCTIONS

Fan forced
Fan grill
Grill
Number of functions 9
Recipe function
Ring + grill
Steam + ring
Steam 100
Steam 130
Steam assist
Steam clean (oven)

OS60NDBB1

Combination Steam Oven, 60cm, 9 Function



Combination Steam Oven, 60cm, 9 Function



Reduce the need for oils and fats with steam cooking, paired with convection oven functions for cooking flexibility.

SPECIFICATIONS

Height 458mm x Width 596mm x Depth 562mm

ACCESSORIES

Baking pan	1
Food probe	1
Optional 76cm trim kit	Part 81940
Perforated baking tray	1
Wire shelf	1

CAPACITY

Shelf positions	3
Total gross	36L

CLEANING

Easy clean stainless steel interior
Easy to clean formed side racks
Removable water tank

FUNCTIONS

Fan forced
Fan grill
Grill
Number of functions 9
Ring + grill
Steam + ring
Steam 100
Steam 130
Steam assist

OS60SDTB1

Combination Steam Oven, 60cm, 23Function





SPECIFICATIONS

Height 598mm x Width 596mm x Depth 565mm

ACCESSORIES

Descal solution	2 sachets, Part 580925
Full extension sliding shelves	2 sets
Grill rack	1 set
Large solid dish	1
Perforated baking tray	1
Perforated large dish	1
Perforated small dish	1
Smokeless grill tray	1
Wired temperature sensor	1

CAPACITY

Shelf positions	6
Total capacity	85L
Total gross	13L
Usable capacity	72L

CLEANING

Acid resistant graphite enamel
Descal cycle
Drying cycle
Removable oven door
Removable oven door inner glass
Removable shelf runners
Steam clean (oven)

FUNCTIONS

Air fry
Bake
Classic bake
Crisp regenerate
Fan bake
Fan forced
Fan forced + High steam
Fan forced + Low steam
Fan forced + Medium steam
Fan grill
Grill
Number of functions 23
Pastry Bake
Pizza bake
Roast
Slow cook
Sous vide
Steam
Steam clean (oven)
Steam defrost
Steam proof
Steam regenerate
Vent bake
Warm

OS60SDTX1

Combination Steam Oven, 60cm, 23 Function





SPECIFICATIONS

Height 598mm x Width 596mm x Depth 565mm

ACCESSORIES

Descal solution	2 sachets, Part 580925
Full extension sliding shelves	2 sets
Grill rack	1 set
Large solid dish	1
Perforated baking tray	1
Perforated large dish	1
Perforated small dish	1
Smokeless grill tray	1
Wired temperature sensor	1

CAPACITY

Shelf positions	6
Total capacity	85L
Total gross	13L
Usable capacity	72L

CLEANING

Acid resistant graphite enamel
 Descal cycle
 Drying cycle
 Removable oven door
 Removable oven door inner glass
 Removable shelf runners
 Steam clean (oven)

FUNCTIONS

Air fry
 Bake
 Classic bake
 Crisp regenerate
 Fan bake
 Fan forced
 Fan forced + High steam
 Fan forced + Low steam
 Fan forced + Medium steam
 Fan grill
 Grill
 Number of functions 23
 Pastry Bake
 Pizza bake
 Roast
 Slow cook
 Sous vide
 Steam
 Steam clean (oven)
 Steam defrost
 Steam proof
 Steam regenerate
 Vent bake
 Warm

OM60NDB1

Combination Microwave Oven, 60cm, 9 Function



Combination microwave Oven, 60cm, 9 Function



Reduce the need for oils and fats with steam cooking.
Its compact size makes this perfect to pair with a warming drawer.

SPECIFICATIONS

Height 458mm x Width 596mm x Depth 562mm

ACCESSORIES

Baking pan	1
Contemporary round handle kit	Optional round handle
Food probe	1
Optional round handle	Part 81648
Perforated baking tray	1
Wire shelf	1

CAPACITY

Shelf positions	3
Total capacity	36L
Total gross	36L
Usable capacity	29L

CLEANING

Easy clean stainless steel interior
Easy to clean formed side racks
Removable water tank
Steam clean (oven)

FUNCTIONS

Fan forced
Fan grill
Grill
Number of functions 9
Recipe function
Ring + grill
Steam + ring
Steam 100
Steam 130
Steam assist
Steam clean (oven)

OM60NDBB1

Combination microwave Oven, 60cm, 9 Function



Combination microwave Oven, 60cm, 9 Function



Reduce the need for oils and fats with steam cooking, paired with convection oven functions for cooking flexibility.

SPECIFICATIONS

Height 458mm x Width 596mm x Depth 562mm

ACCESSORIES

Baking pan	1
Food probe	1
Optional 76cm trim kit	Part 81940
Perforated baking tray	1
Wire shelf	1

CAPACITY

Shelf positions	3
Total gross	36L

CLEANING

Easy clean stainless steel interior
Easy to clean formed side racks
Removable water tank

FUNCTIONS

Fan forced
Fan grill
Grill
Number of functions 9
Ring + grill
Steam + ring
Steam 100
Steam 130
Steam assist

BUILT-IN COFFE MAKER COLECTION

EB60DSXBB1

Built-In Coffe Maker, 60cm, 13 Function





SPECIFICATIONS

Height 458mm x Width 596mm x Depth 480mm

ACCESSORIES

Coffee spoon

Descaling agent bottle

Extractable steam outlet

Water Filter

Matching Trim Kit

Optional lower trim kit

Optional 76cm trim kit Part 81940

Part 81662 (478mm)

CAPACITY

Grounds container capacity 14 cups of coffee

Number of cups 1 or 2

Water tank capacity 2.5L

CLEANING

Easy to remove coffee grinds container

Easy to remove stainless steel hot water/steam pipe

Removable drip tray with level indicator

Self-clean function

FUNCTIONS

Americano

Cappuccino

Coffee

Coffee strength levels 5

Double espresso

Espresso

Espresso macchiato

Flat white

Hot milk

Hot water

Latte

Latte macchiato

Long black

Personalised coffee

Steam

Takes pre-ground coffee

RANGEHOOD COLECTION

HC90DCXB3

Wall Rangehood, 90cm, Box Chimney



Wall Rangehood, 90cm, Box Chimney



The wall chimney rangehood has contemporary styling, extracting steam, grease and cooking odours quietly and efficiently.

ACCESSORIES

Chimney extension	792492
Eave ducting kit	PD-RHK150E
Light bulb	792556
Recirculation carbon filter	792481
Recirculation diverter	792560
Roof ducting kit	PD-RHK150T
Side wall ducting kit	PD-RHK150W

FAN RATINGS

Maximum air movement	780m ³ /hr
Maximum sound rating	65dBA

INSTALLATION AND CLEANING

Dishwasher safe filters	3
Ducted	Top extraction
Recirculation	Optional - top extraction
Stainless steel filter cover	
Two piece height adjustable flue	

PERFORMANCE

Airflow balancing plate	
Extraction type	Surface
Fan speeds	3
Filter type	Mesh
Number of filters	3

POWER REQUIREMENTS

Lighting power	8W
Motor power	240W
Supply voltage	220-240V
Total Power	248W

PRODUCT DIMENSIONS

Depth	500mm
Height	595-1035mm
Width	898mm

HC120DCXB3

Wall Rangehood, 120cm, Box Chimney



Wall Rangehood, 120cm, Box Chimney



The wall chimney rangehood has a contemporary styling, extracting steam, grease and cooking odours quietly and efficiently.

ACCESSORIES

Chimney extension	791774
Eave ducting kit	PD-RHK150E
Light bulb	792556
Recirculation carbon filter	792481
Recirculation diverter	792560
Roof ducting kit	PD-RHK150T
Side wall ducting kit	PD-RHK150W

FAN RATINGS

Maximum air movement	780m ³ /hr
Maximum sound rating	65dBA

INSTALLATION AND CLEANING

Dishwasher safe filters	4
Ducted	Top extraction
Internal blower included	
Recirculation	Optional - top extraction
Stainless steel filter cover	
Two piece height adjustable flue	

PERFORMANCE

Airflow balancing plate	
Extraction type	Surface
Fan speeds	3
Filter type	Mesh
Number of filters	4

POWER REQUIREMENTS

Lighting power	8W
Motor power	240W
Supply voltage	220-240V
Total Power	248W

PRODUCT DIMENSIONS


Depth	500mm
Height	595-1035mm
Width	1198mm

PRODUCT INFORMATION

Control type	Capacitive touch
--------------	------------------

HC60DCXB3

Wall Rangehood, 60cm, Box Chimney



Wall Rangehood, 60cm, Box Chimney



The wall chimney rangehood has contemporary styling, extracting steam, grease and cooking odours quietly and efficiently.

ACCESSORIES

Chimney extension	792492
Eave ducting kit	PD-RHK150E
Light bulb	792556
Recirculation carbon filter	792481
Recirculation diverter	792560
Roof ducting kit	PD-RHK150T
Side wall ducting kit	PD-RHK150W

FAN RATINGS

Maximum air movement	780m ³ /hr
Maximum sound rating	65dBA

INSTALLATION AND CLEANING

Dishwasher safe filters	2
Ducted	Top extraction
Recirculation	Optional - top extraction
Stainless steel filter cover	
Two piece height adjustable flue	

PERFORMANCE

Airflow balancing plate	
Extraction type	Surface
Fan speeds	3
Filter type	Mesh
Number of filters	2

POWER REQUIREMENTS

Lighting power	8W
Motor power	240W
Supply voltage	220-240V
Total Power	248W

PRODUCT DIMENSIONS

Depth	500mm
Height	595-1035mm
Width	598mm

PRODUCT INFORMATION

Control type	Capacitive touch
--------------	------------------

VENTILATION FEATURES

Dimmable lights	
Filter cleaning alert	
Light type	LED
Timer function	

HP90IDCHX3

Wall Rangehood, 60cm, Box Chimney



Integrated Insert Rangehood, 90cm

With four fan speeds, select the perfect extraction rate for your cooking

Powerful maximum air movement 780m³/hr

Energy-efficient LED lighting illuminates the cooking surface beautifully

Dishwasher safe filters that are easy to remove and clean

HP60IDCHX3

Wall Rangehood, 60cm, Box Chimney



Integrated Insert Rangehood, 60cm

With four fan speeds, select the perfect extraction rate for your cooking

Powerful maximum air movement 780m³/hr

Energy-efficient LED lighting illuminates the cooking surface beautifully

Dishwasher safe filters that are easy to remove and clean

DISHDRAWER COLECTION



TRUE HALF LOAD

Each drawer holds a true half load for small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.



SEAMLESS INTEGRATION

DishDrawer™ Dishwashers are designed to match the Fisher & Paykel family of kitchen appliances, with matching handles, premium styling and quality materials for a stylish finish in your kitchen.

Integrated Double DishDrawer



Integrated Double DishDrawer™ Dishwasher

Knock to pause function is perfect if you miss a dish

Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

Customise with your own front panel and handle to match your kitchen cabinetry

Double DishDrawer





Double DishDrawer™ Dishwasher, Sanitise

Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

Flexible racking allows you to customise internal shelves to suit your needs

Integrated Single DishDrawer



Integrated Single DishDrawer™ Dishwasher, Tall, Sanitise

Knock to pause function is perfect if you miss a dish

With extra height for taller dishes, and customisable internal shelving

Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

Customise with your own front panel and handle to match your kitchen cabinetry

Single DishDrawer



Single DishDrawer™ Dishwasher, Sanitise

Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

Flexible racking allows you to customise internal shelves to suit your needs

Single DishDrawer



Single DishDrawer™ Dishwasher, Sanitise

Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

Flexible racking allows you to customise internal shelves to suit your needs



Integrated Single DishDrawer



SPECIFICATIONS

Height 410mm x Width 599mm x Depth 553mm

ACCESSORIES

Cutlery basket

Knife clip and multipurpose clip

CAPACITY AND LOADING

Accommodates round plates up to 280mm

Adjustable height, foldable cupracks

Fold down tines

Pitch adjustable tines

Place settings 7

CONSUMPTION

Energy rating

3.5 star

Energy usage

136kWh/year

Water consumption (per wash cycle)

6.9L

CONTROLS

Child lock

Electronic fault/Diagnostic indicator

End of cycle beeps

Energy saving delay start option of up to 12 hours

Internal wash selector

Knock to pause

Rinse aid indicator light

Wi-Fi connectivity

FEATURES

Fan assisted drying

Flow through detergent dispenser

Quiet operation

SmartDrive™ technology

WASH PROGRAMS

Delicate

Eco

Fast

Heavy

Medium

Rinse

WASH PROGRAM MODIFIERS

Extra Dry

Quick

Sanitise

HUBUNGI



JL.RAYA JANTI NO.96

YOGYAKARTA

(0274) 493 22 88

08112863773

(CHAT ONLY)

f qhomemart t qhomemart

@ qhomemart v qhomemart

WWW.QHOMEMART.COM